

rteres

Instrument :

FID_F

ClientSampleId :

PB141338BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/15/2021

Supervised By :Ankita Jodhani 12/16/2021

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF121421.M
Data File : FF009406.D
Signal(s) : FID2B.ch
Acq On : 14 Dec 2021 22:32
Sample : PB141338BS
Misc :
ALS Vial : 67 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aliphatic EPH -FF121421.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.640	2.611	2.680	BV	445953	3466456	51.30%	3.215%
2	3.642	3.613	3.707	PB	489175	4303522	63.69%	3.992%
3	5.621	5.578	5.678	BV	522144	5083982	75.24%	4.715%
4	7.406	7.342	7.479	BV	549762	5587629	82.70%	5.183%
5	8.999	8.950	9.047	BV	573371	6270653	92.80%	5.816%
6	10.435	10.397	10.472	BV	583896	6756858	100.00%	6.267%
7	11.740	11.691	11.799	BV	566971	6755544	99.98%	6.266%
8	12.181	12.116	12.219	BV	411250	4769540	70.59%	4.424%
9	12.350	12.269	12.430	BB	552792	6747289	99.86%	6.258%
10	12.933	12.888	12.992	BB	541139	6688213	98.98%	6.203%
11	14.032	13.958	14.098	BB	517938	6609727	97.82%	6.131%
12	15.050	14.701	15.107	BB	493109	6420784	95.03%	5.955%
13	15.997	15.944	16.045	M	464287	6171438	91.34%	5.724%
14	16.882	16.794	16.916	VV	424596	5934287	87.83%	5.504%
15	17.711	17.620	17.748	PV	396242	5580985	82.60%	5.176%
16	18.492	18.440	18.526	BV	370798	5297025	78.39%	4.913%
17	19.229	19.180	19.261	BV	349321	5055044	74.81%	4.689%
18	19.938	19.883	20.000	PV	294765	4679215	69.25%	4.340%
19	20.774	20.718	20.908	VV	223519	5637284	83.43%	5.229%
Sum of corrected areas:						107815474		

Aliphatic EPH -FF121421.M Wed Dec 15 09:11:23 2021