

rteres

Instrument :

FID_F

ClientSampleId :

PB141338BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/15/2021

Supervised By :Ankita Jodhani 12/16/2021

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF121421.M
Data File : FF009407.D
Signal(s) : FID2B.ch
Acq On : 14 Dec 2021 23:01
Sample : PB141338BSD
Misc :
ALS Vial : 68 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aliphatic EPH -FF121421.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.641	2.563	2.694	BV	441113	3417776	50.19%	3.199%
2	3.641	3.613	3.687	BV	479302	4215087	61.90%	3.945%
3	5.621	5.581	5.677	BV	520325	5011755	73.60%	4.691%
4	7.404	7.361	7.465	BB	545932	5604128	82.30%	5.245%
5	8.998	8.934	9.057	BV	577576	6348760	93.24%	5.942%
6	10.434	10.388	10.467	BV	597591	6809087	100.00%	6.373%
7	11.739	11.686	11.788	VV	576955	6788771	99.70%	6.354%
8	12.179	12.100	12.218	PV	331961	3855550	56.62%	3.609%
9	12.348	12.310	12.413	BV	560439	6755684	99.22%	6.323%
10	12.933	12.843	12.973	BV	550496	6685891	98.19%	6.258%
11	14.033	13.957	14.078	BB	518109	6571669	96.51%	6.151%
12	15.049	14.959	15.103	BB	502393	6380948	93.71%	5.973%
13	15.996	15.552	16.030	PV	456551	6203387	91.10%	5.806%
14	16.880	16.794	16.924	VB	437115	5958495	87.51%	5.577%
15	17.710	17.318	17.749	VV	401818	5596999	82.20%	5.239%
16	18.490	18.440	18.532	BV	372058	5369713	78.86%	5.026%
17	19.227	19.180	19.265	BV	331541	5062839	74.35%	4.739%
18	19.936	19.888	20.019	VV	303207	5050875	74.18%	4.728%
19	20.771	20.703	20.857	VV	213445	5149552	75.63%	4.820%
Sum of corrected areas:						106836967		

Aliphatic EPH -FF121421.M Wed Dec 15 09:12:11 2021