

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF010919\
 Data File : FF003184.D
 Signal(s) : FID2B.ch
 Acq On : 09 Jan 2019 19:36
 Operator : AJ\SJ
 Sample : K1087-02MSD
 Misc :
 ALS Vial : 67 Sample Multiplier: 1

Integration File: Sample.e
 Quant Time: Jan 10 00:24:55 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF010419.M
 Quant Title :
 QLast Update : Fri Jan 04 16:10:51 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.618	1822750	13.711 ug/ml
Target Compounds			
2) N-DECANE	4.352	2267985	15.103 ug/ml
3) N-DODECANE	6.371	2327391	15.379 ug/ml
4) N-TETRADECANE	8.163	2313901	15.178 ug/ml
5) N-HEXADECANE	9.762	2283761	14.897 ug/ml
6) N-OCTADECANE	11.205	2243076	14.584 ug/ml
7) N-EICOSANE	12.516	2180594	14.320 ug/ml
8) N-DOCOSANE	13.716	2140713	14.200 ug/ml
10) N-TETRACOSANE	14.822	2158119	14.484 ug/ml
11) N-HEXACOSANE	15.846	2129258	14.472 ug/ml
12) N-OCTACOSANE	16.799	2134725	14.668 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF010919\
Data File : FF003184.D
Signal(s) : FID2B.ch
Acq On : 09 Jan 2019 19:36
Operator : AJ\SJ
Sample : K1087-02MSD
Misc :
ALS Vial : 67 Sample Multiplier: 1

Integration File: Sample.e
Quant Time: Jan 10 00:24:55 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF010419.M
Quant Title :
QLast Update : Fri Jan 04 16:10:51 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.352 min
Delta R.T.: -0.005 min
Response: 2267985
Conc: 15.10 ug/ml




#3 N-DODECANE

R.T.: 6.371 min
Delta R.T.: -0.009 min
Response: 2327391
Conc: 15.38 ug/ml




#4 N-TETRADECANE

R.T.: 8.163 min
Delta R.T.: -0.011 min
Response: 2313901
Conc: 15.18 ug/ml




#5 N-HEXADECANE

R.T.: 9.762 min
Delta R.T.: -0.012 min
Response: 2283761
Conc: 14.90 ug/ml




#6 N-OCTADECANE

R.T.: 11.205 min
Delta R.T.: -0.012 min
Response: 2243076
Conc: 14.58 ug/ml




#7 N-EICOSANE

R.T.: 12.516 min
Delta R.T.: -0.012 min
Response: 2180594
Conc: 14.32 ug/ml




#8 N-DOCOSANE

R.T.: 13.716 min
Delta R.T.: -0.013 min
Response: 2140713
Conc: 14.20 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.618 min
Delta R.T.: -0.013 min
Response: 1822750
Conc: 13.71 ug/ml




#10 N-TETRACOSANE

R.T.: 14.822 min
Delta R.T.: -0.013 min
Response: 2158119
Conc: 14.48 ug/ml



#11 N-HEXACOSANE

R.T.: 15.846 min
Delta R.T.: -0.011 min
Response: 2129258
Conc: 14.47 ug/ml



#12 N-OCTACOSANE

R.T.: 16.799 min
Delta R.T.: -0.013 min
Response: 2134725
Conc: 14.67 ug/ml