

Data Path : P:\HPCHEM1\FID_F\Data\FF022318\
 Data File : FF000252.D
 Signal(s) : FID2B.ch
 Acq On : 24 Feb 2018 07:14
 Operator : UA\AJ
 Sample : J1398-05MSD 10X
 Misc :
 ALS Vial : 88 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 26 02:08:05 2018
 Quant Method : P:\HPCHEM1\FID_F\Method\FF020118.M
 Quant Title :
 QLast Update : Fri Feb 02 10:05:00 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.631	302232	2.654 ug/mlm
Target Compounds			
2) N-DECANE	4.382	206783	1.335 ug/ml
3) N-DODECANE	6.398	213772	1.384 ug/ml
4) N-TETRADECANE	8.188	228363	1.496 ug/ml
5) N-HEXADECANE	9.787	277386	1.886 ug/ml
6) N-OCTADECANE	11.225	208310	1.432 ug/ml
7) N-EICOSANE	12.534	281057	2.058 ug/ml
8) N-DOCOSANE	13.732	321819	2.469 ug/ml
10) N-TETRACOSANE	14.808	1009122	7.963 ug/ml
11) N-HEXACOSANE	15.856	267642	2.207 ug/mlm
12) N-OCTACOSANE	16.806	394714	3.398 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : P:\HPCHEM1\FID_F\Data\FF022318\
Data File : FF000252.D
Signal(s) : FID2B.ch
Acq On : 24 Feb 2018 07:14
Operator : UA\AJ
Sample : J1398-05MSD 10X
Misc :
ALS Vial : 88 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 26 02:08:05 2018
Quant Method : P:\HPCHEM1\FID_F\Method\FF020118.M
Quant Title :
QLast Update : Fri Feb 02 10:05:00 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.382 min
Delta R.T.: -0.002 min
Response: 206783
Conc: 1.34 ug/ml




#3 N-DODECANE

R.T.: 6.398 min
Delta R.T.: -0.003 min
Response: 213772
Conc: 1.38 ug/ml




#4 N-TETRADECANE

R.T.: 8.188 min
Delta R.T.: -0.005 min
Response: 228363
Conc: 1.50 ug/ml




#5 N-HEXADECANE

R.T.: 9.787 min
Delta R.T.: -0.004 min
Response: 277386
Conc: 1.89 ug/ml




#6 N-OCTADECANE

R.T.: 11.225 min
Delta R.T.: -0.006 min
Response: 208310
Conc: 1.43 ug/ml




#7 N-EICOSANE

R.T.: 12.534 min
Delta R.T.: -0.005 min
Response: 281057
Conc: 2.06 ug/ml




#8 N-DOCOSANE

R.T.: 13.732 min
Delta R.T.: -0.005 min
Response: 321819
Conc: 2.47 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.631 min
Delta R.T.: -0.005 min
Response: 302232
Conc: 2.65 ug/ml m




#10 N-TETRACOSANE

R.T.: 14.808 min
Delta R.T.: -0.031 min
Response: 1009122
Conc: 7.96 ug/ml



#11 N-HEXACOSANE

R.T.: 15.856 min
Delta R.T.: -0.004 min
Response: 267642
Conc: 2.21 ug/ml m



#12 N-OCTACOSANE

R.T.: 16.806 min
Delta R.T.: -0.003 min
Response: 394714
Conc: 3.40 ug/ml m