



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100089

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J6193-11	CL-02-122718-A	1	100.03	0.00	12/28/2018	10:45
2	J6193-11DUP	CL-02-122718-ADUP	1	100.04	0.00	12/28/2018	10:50
3	J6193-13	CL-02-122718-B	1	100.02	0.00	12/28/2018	10:55
4	J6193-15	CL-02-122718-C	1	100.03	0.00	12/28/2018	11:00
5	J6193-17	CL-02-122718-D	1	100.05	0.00	12/28/2018	11:05

WORKLIST(Hardcopy Internal Chain)

LB100089

WorkList Name : PF122818

WorkList ID : 120864

Date : 12/28/2018 9:15:01 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/27/2018	Solid	J6193-11	Paint Filter	Cool 4 deg C	PSEG05		CL-02-122718-A	12/27/2018	9095B
12/27/2018	Solid	J6193-13	Paint Filter	Cool 4 deg C	PSEG05		CL-02-122718-B	12/27/2018	9095B
12/27/2018	Solid	J6193-15	Paint Filter	Cool 4 deg C	PSEG05		CL-02-122718-C	12/27/2018	9095B
12/27/2018	Solid	J6193-17	Paint Filter	Cool 4 deg C	PSEG05		CL-02-122718-D	12/27/2018	9095B

Date/Time 12/28/18 10:35

Received by: 

Relinquished by: 

Date/Time 12/28/18 11:10

Received by: 

Relinquished by: 