



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: AMANDEEP

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100168

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1040-01	RBR-200030-RBR-2000	1	100.05	0.00	01/04/2019	12:48
2	K1041-01	OS-1-5-COMP	1	100.03	0.00	01/04/2019	12:55
3	K1041-01DUP	OS-1-5-COMPDUP	1	100.02	0.00	01/04/2019	13:04

WORKLIST(Hardcopy Internal Chain)

03100168

WorkList Name : PF010418

WorkList ID : 121014

Date : 1/4/2019 8:40:51 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/03/2019	Solid	K1040-01	Paint Filter	Cool 4 deg C	PSEG01	E61	RBR-200030-RBR-200028-RT	01/03/2019	9095B
01/03/2019	Solid	K1041-01	Paint Filter	Cool 4 deg C	PSEG01	E61	OS-1-5-COMP	01/03/2019	9095B

Date/Time 01-04-19 12:00
 Received by: AK
 Relinquished by: CP

Date/Time 01-04-19 13:15
 Received by: CP
 Relinquished by: AD