



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: AMANDEEP

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100292

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1126-01	RT-3451	1	100.05	0.00	01/14/2019	12:13
2	K1128-01	RBR-200053	1	100.02	0.00	01/14/2019	12:20
3	K1128-03	RBR-200036	1	100.05	0.00	01/14/2019	12:28
4	K1128-03DUP	RBR-200036DUP	1	100.04	0.00	01/14/2019	12:36

LB 100292

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf011418

WorkList ID : 121269

Date : 1/14/2019 9:15:02 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/11/2019	Solid	K1126-01	Paint Filter	Cool 4 deg C	PSEG01	E61	RT-3451	01/11/2019	9095B
01/11/2019	Solid	K1128-01	Paint Filter	Cool 4 deg C	PSEG01	E61	RBR-20053	01/11/2019	9095B
01/11/2019	Solid	K1128-03	Paint Filter	Cool 4 deg C	PSEG01	E61	RBR-20036	01/11/2019	9095B

Date/Time 01-14-19 12:00
 Received by: AD
 Relinquished by: [Signature]

Date/Time 01-14-19 13:00
 Received by: [Signature]
 Relinquished by: AD