CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 1/21/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 15:15
In Date: 01/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 08:18
Out Date: 01/19/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC: LB100391

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1009-01	CL-01-011819-A	19	1.14	9.83	8.83	88.5
K1009-03	CL-01-011819-B	20	1.16	9.75	8.69	87.7
K1009-05	CL-01-011819-C	21	1.17	9.89	9.00	89.8
K1009-07	CL-01-011819-D	22	1.18	9.85	9.02	90.4
K1013-01	PL-01-011819-A	23	1.12	9.69	8.74	88.9
K1013-03	PL-01-011819-B	24	1.15	9.95	9.13	90.7
K1013-05	PL-01-011819-C	25	1.12	9.54	8.87	92.0
K1013-07	PL-01-011819-D	26	1.14	9.87	9.06	90.7
K1191-01	SITE4-01	1	1.13	9.53	8.69	90.0
K1191-02	SITE4-02	2	1.12	9.58	8.82	91.0
K1191-03	SITE4-03	3	1.16	9.57	8.82	91.1
K1191-04	SITE4-EAST	4	1.17	9.69	8.88	90.5
K1191-05	SITE4-04	5	1.14	9.85	9.17	92.2
K1191-06	SITE4-05	6	1.18	9.81	9.1	91.8
K1191-07	SITE4-06	7	1.19	9.64	8.77	89.7
K1191-08	SITE4-WEST	8	1.13	9.62	8.86	91.0
K1194-05	SVOC-GPC-BLANK	9	1.00	2.00	2.00	100.0
K1194-06	PEST-GPC-BLANK	10	1.00	2.00	2.00	100.0
K1194-07	PEST-GPC-BLANK-SPIKE	11	1.00	2.00	2.00	100.0
K1194-08	PCB-GPC-BLANK	12	1.00	2.00	2.00	100.0
K1194-09	PCB-GPC-BLANK-SPIKE	13	1.00	2.00	2.00	100.0
K1194-10	SVOC-GPC2-BLANK	14	1.00	2.00	2.00	100.0
K1194-11	PEST-GPC2-BLANK	15	1.00	2.00	2.00	100.0
K1194-12	PEST-GPC2-BLANK-SPIKE	16	1.00	2.00	2.00	100.0
K1194-13	PCB-GPC2-BLANK	17	1.00	2.00	2.00	100.0
K1194-14	PCB-GPC2-BLANK-SPIKE	18	1.00	2.00	2.00	100.0
K1196-01	VNJ-219	27	1.00	2.00	2.00	100.0
K1201-01	23885-23703	28	1.00	2.00	2.00	100.0
K1202-01	990	29	1.00	2.00	2.00	100.0
K1202-02	23432	30	1.00	2.00	2.00	100.0
K1203-01	BBOD	31	1.00	2.00	2.00	100.0
K1205-01	C-1	32	1.14	9.62	8.13	82.4
K1205-02	C-2	33	1.13	9.75	8.47	85.2
K1205-03	C-3	34	1.19	9.98	8.74	85.9
K1205-04	C-4	35	1.1	9.91	8.27	81.4
K1205-05	C-5	36	1.16	9.71	8.29	83.4
K1205-06	C-6	37	1.17	9.95	8.19	80.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$