



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: AMANDEEP

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100427

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1015-05	SU-02-011119-A	1	100.05	0.00	01/22/2019	10:01
2	K1015-07	SU-02-011119-B	1	100.02	0.00	01/22/2019	10:08
3	K1015-07DUP	SU-02-011119-BDUP	1	100.01	0.00	01/22/2019	10:16

WORKLIST(Hardcopy Internal Chain)

GB 100 425

WorkList Name : pf012219

WorkList ID : 121533

Date : 1/22/2019 09:18:06 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/11/2019	Solid	K1015-05	Paint Filter	Cool 4 deg C	PSEG05		SU-02-011119-A	01/11/2019	9095B
01/11/2019	Solid	K1015-07	Paint Filter	Cool 4 deg C	PSEG05		SU-02-011119-B	01/11/2019	9095B

Date/Time 01-22-19 09:20
 Received by: AE
 Relinquished by: CR

Date/Time 01-22-19 10:30
 Received by: [Signature]
 Relinquished by: [Signature]