



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100833

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1349-05	OR-01-021319-A	1	100.03	0.00	02/14/2019	09:45
2	K1349-05DUP	OR-01-021319-ADUP	1	100.02	0.00	02/14/2019	09:52
3	K1349-07	OR-01-021319-B	1	100.08	0.00	02/14/2019	10:02
4	K1350-05	EO-02-021319-A	1	100.07	0.00	02/14/2019	10:15
5	K1350-07	EO-02-021319-B	1	100.05	0.00	02/14/2019	10:25
6	K1350-09	EO-02-021319-C	1	100.08	0.00	02/14/2019	10:35

WORKLIST(Hardcopy Internal Chain)

LB100833

WorkList Name : PF21419

WorkList ID : 122319

Date : 02-14-2019 09:17:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/13/2019	Solid	K1349-05	Paint Filter	Cool 4 deg C	PSEG05		OR-01-021319-A	02/13/2019	9095B
02/13/2019	Solid	K1349-07	Paint Filter	Cool 4 deg C	PSEG05		OR-01-021319-B	02/13/2019	9095B
02/13/2019	Solid	K1350-05	Paint Filter	Cool 4 deg C	PSEG05		EO-02-021319-A	02/13/2019	9095B
02/13/2019	Solid	K1350-07	Paint Filter	Cool 4 deg C	PSEG05		EO-02-021319-B	02/13/2019	9095B
02/13/2019	Solid	K1350-09	Paint Filter	Cool 4 deg C	PSEG05		EO-02-021319-C	02/13/2019	9095B

Date/Time 02/14/19 9:25
 Received by: KS
 Relinquished by: CP

Date/Time 02/14/19 10:45
 Received by: CP
 Relinquished by: KS