



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB100913

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1349-09	OR-02-021919-A	1	100.03	0.00	02/20/2019	10:15
2	K1349-09DUP	OR-02-021919-ADUP	1	100.02	0.00	02/20/2019	10:25
3	K1349-11	OR-02-021919-B	1	100.08	0.00	02/20/2019	10:35
4	K1527-01	SOIL-PILE	1	100.07	0.00	02/20/2019	10:42

WORKLIST(Hardcopy Internal Chain)

LB 100913

WorkList Name : PF22019

WorkList ID : 122501

Date : 02-20-2019 09:04:27

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/19/2019	Solid	K1349-09	B Paint Filter	Cool 4 deg C	PSEG05		OR-02-021919-A	02/19/2019	9095B
02/19/2019	Solid	K1349-11	A Paint Filter	Cool 4 deg C	PSEG05		OR-02-021919-B	02/19/2019	9095B
02/19/2019	Solid	K1527-01	✓ Paint Filter	Cool 4 deg C	PSEG01	K31	SOIL-PILE	02/19/2019	9095B

Date/Time 02/20/19 9:55
 Received by: KS
 Relinquished by: CP

Date/Time 02/20/19 10:50
 Received by: CP
 Relinquished by: KS