



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB101025

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1348-07	OK-02-022519	1	100.03	0.00	02/26/2019	13:15
2	K1348-07DUP	OK-02-022519DUP	1	100.02	0.00	02/26/2019	13:25
3	K1610-01	WV-A	1	100.07	0.00	02/26/2019	13:38
4	K1610-03	WV-B	1	100.08	0.00	02/26/2019	13:45
5	K1610-05	WV-C	1	100.04	0.00	02/26/2019	13:52
6	K1610-07	WV-D	1	100.09	0.00	02/26/2019	14:02
7	K1610-09	WV-E	1	100.07	0.00	02/26/2019	14:10

WORKLIST(Hardcopy Internal Chain)

LB101025

WorkList Name : PF22619

WorkList ID : 122733

Date : 02-26-2019 11:14:01

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/25/2019	Solid	K1348-07	Paint Filter	Cool 4 deg C	PSEG05	K31	OK-02-022519	02/25/2019	9095B
02/25/2019	Solid	K1610-01	Paint Filter	Cool 4 deg C	PSEG01	K31	WV-A	02/25/2019	9095B
02/25/2019	Solid	K1610-03	Paint Filter	Cool 4 deg C	PSEG01	K31	WV-B	02/25/2019	9095B
02/25/2019	Solid	K1610-05	Paint Filter	Cool 4 deg C	PSEG01	K31	WV-C	02/25/2019	9095B
02/25/2019	Solid	K1610-07	Paint Filter	Cool 4 deg C	PSEG01	K31	WV-D	02/25/2019	9095B
02/25/2019	Solid	K1610-09	Paint Filter	Cool 4 deg C	PSEG01	K31	WV-E	02/25/2019	9095B

Date/Time 02/26/19 12:50
 Received by: KS
 Relinquished by: CP

Date/Time 02/26/19 14:15
 Received by: CP
 Relinquished by: KS