



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/5/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:10
In Date: 02/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:35
Out Date: 02/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101033

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1340-01	BU-03-022719	39	1.14	9.65	8.56	87.2
K1341-07	HR-06-022719-A	40	1.17	9.9	9.47	95.1
K1341-09	HR-06-022719-B	41	1.18	9.97	9.15	90.7
K1349-13	OR-03-022719-A	42	1.15	9.94	9.09	90.3
K1349-15	OR-03-022719-B	43	1.16	9.96	8.99	89.0
K1350-11	EO-01-022619-A	1	1.15	9.96	8.9	88.0
K1350-13	EO-01-022619-B	2	1.15	9.64	8.57	87.4
K1350-15	EO-01-022619-C	3	1.15	9.63	8.74	89.5
K1353-01	PL-02-022619-A	4	1.14	9.71	8.54	86.3
K1353-03	PL-02-022619-B	5	1.12	9.78	8.67	87.2
K1353-05	PL-02-022619-C	6	1.14	9.68	8.39	84.9
K1353-07	PL-02-022619-D	7	1.14	9.69	8.7	88.4
K1358-05	TR-05-022719	44	1.16	9.94	9.19	91.5
K1499-01	A0C14-02-B4 (6-12)	8	1.16	9.93	8.89	88.1
K1499-02	A0C14-02-E1 (6-12)	9	1.14	9.64	8.51	86.7
K1499-05	A0C14-02-D2 (6-12)	10	1.13	9.55	8.44	86.8
K1499-06	A0C2-04-F1 (12-18)	11	1.12	9.66	8.15	82.3
K1627-01	SB-01- (0-6)	12	1.15	9.76	8.32	83.3
K1627-02	SB-01- (6-2)	13	1.14	9.59	8.52	87.3
K1627-03	SB-02- (2-5)	14	1.14	9.81	9.18	92.7
K1627-04	SB-02- (5-10)	15	1.15	9.67	8.45	85.7
K1627-05	SB-03- (0-2)	16	1.14	9.68	8.6	87.4
K1627-06	SB-03- (2-5)	17	1.13	9.87	8.64	85.9
K1627-07	SB-04- (0-2)	18	1.14	9.75	8.39	84.2
K1627-08	SB-04- (2-5)	19	1.14	9.74	8.8	89.1
K1628-01	A0C5-1-0.5-1.0	45	1.14	9.95	9.13	90.7
K1628-02	A0C5-2-0.5-1.0	46	1.16	9.94	9.06	90.0
K1628-03	A0C6-1-0.5-1.0	47	1.15	9.95	8.75	86.4
K1628-04	A0C6-2-0.5-1.0	48	1.15	9.61	8.61	88.2
K1628-05	A0C6-3-0.5-1.0	49	1.18	9.94	8.04	78.3
K1631-01	Z31-A	20	1.14	9.72	8.66	87.6
K1631-02	Z31-B	21	1.15	9.97	8.7	85.6
K1631-03	Z32-A	22	1.16	9.6	8.95	92.3
K1631-04	Z32-B	23	1.15	9.93	8.55	84.3
K1631-05	Z33-A	24	1.14	9.54	9.06	94.3
K1631-06	Z33-B	25	1.14	9.55	8.94	92.7
K1631-07	Z34-A	26	1.14	9.61	9.09	93.9
K1631-08	Z34-B	27	1.15	9.59	8.8	90.6
K1631-09	CONCRETE-1	28	1.00	2.00	2.00	100.0



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/5/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:10
In Date: 02/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:35
Out Date: 02/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101033

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1631-10	Z34-A	29	1.14	9.77	9.02	91.3
K1631-11	Z34-B	30	1.15	9.74	9.27	94.5
K1631-12	Z36-A	31	1.14	9.74	9.16	93.3
K1632-01	50153	32	1.00	2.00	2.00	100.0
K1633-01	SR-11-S1	33	1.14	9.55	8.93	92.6
K1633-02	SR-11-S2	34	1.13	9.54	8.85	91.8
K1633-03	SR-11-S	35	1.14	9.94	9.27	92.4
K1633-05	SR-11-D1	36	1.16	9.62	8.99	92.6
K1633-06	SR-11-D2	37	1.12	9.75	9.11	92.6
K1633-07	SR-11-D	38	1.13	9.62	8.96	92.2
K1638-01	PE-1 (EAST-SITE-WALL)	50	1.14	9.97	8.86	87.4
K1638-02	PE-2 (SOUTH-SITE-WALL)	51	1.19	9.98	9.31	92.4
K1638-03	PE-3 (WEST-SITE-WALL)	52	1.15	9.93	8.41	82.7
K1638-04	PE-4 (NORTH-SITE-WALL)	53	1.18	9.94	9.12	90.6
K1638-05	PE-5 (BELOW-EXPOSED-PIPE)	54	1.1	9.95	9.29	92.5
K1643-01	INTERIOR-WALL	55	1.00	2.00	2.00	100.0
K1643-03	FLOOR-SLAB	56	1.00	2.00	2.00	100.0
K1645-01	SR-10-1	57	1.15	9.95	9.00	89.2
K1645-02	SR-10-2	58	1.14	9.91	9.33	93.4
K1645-03	SR-10	59	1.17	9.94	8.95	88.7
K1645-05	SR-9-S1	60	1.16	9.87	9.11	91.3
K1645-06	SR-9-S2	61	1.17	9.9	9.37	93.9
K1645-07	SR-9-S	62	1.16	9.7	9.09	92.9
K1645-09	SR-9-D1	63	1.18	9.94	9.24	92.0
K1645-10	SR-9-D2	64	1.14	9.67	9.11	93.4
K1645-11	SR-9-D	65	1.13	9.92	9.37	93.7
K1646-01	MMC-SC	66	1.00	2.00	2.00	100.0
K1647-01	16202-16198	67	1.12	9.71	4.78	42.6
K1647-02	147-20	68	1.14	9.94	9.31	92.8
K1647-03	44766	69	1.14	9.97	9.00	89.0
K1647-04	44766	70	1.17	9.98	9.44	93.9
K1647-06	DRUM	71	1.17	9.92	9.44	94.5
K1649-01	TRE-INTERIOR-WALL	72	1.00	2.00	2.00	100.0
K1649-02	TRE-FLOOR-SLAB	73	1.00	2.00	2.00	100.0
K1650-01	B-1 (1.5-2.5)	74	1.16	9.67	8.68	88.4
K1650-02	B-1 (17-18)	75	1.1	9.96	9.45	94.2
K1650-03	B-1 (24-25)	76	1.15	9.96	9.3	92.5
K1650-05	B-2 (9-10)	77	1.1	9.9	8.51	84.2
K1650-06	B-3 (2.5-3.5)	78	1.13	9.56	8.1	82.7



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/5/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:10
In Date: 02/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:35
Out Date: 02/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101033

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1650-07	B-3 (9-10)	79	1.17	9.82	9.16	92.4
K1650-08	B-4 (4-5)	80	1.14	9.93	9.15	91.1
K1650-11	B-5 (9-10)	81	1.19	9.97	9.41	93.6
K1650-12	B-6 (4-5)	82	1.12	9.74	8.59	86.7
K1650-13	B-6 (9-10)	83	1.14	9.77	9.09	92.1
K1650-14	B-7 (3.5-4.5)	84	1.17	9.98	9.42	93.6
K1650-15	B-7 (9-10)	85	1.12	9.83	8.98	90.2
K1650-16	B-8 (3.5-4.5)	86	1.13	9.77	8.75	88.2
K1651-01	351-281	87	1.16	9.96	9.6	95.9
K1651-02	351-281	88	1.16	9.96	9.6	95.9
K1651-04	CON-327	89	1.00	2.00	2.00	100.0
K1652-01	Z11	90	1.14	9.87	9.32	93.7
K1652-02	Z37-A	91	1.17	9.61	9.15	94.5
K1652-03	Z37-B	92	1.14	9.96	9.54	95.2
K1652-04	Z38-A	93	1.17	9.97	9.47	94.3
K1652-05	Z38-B	94	1.13	9.96	8.9	88.0
K1652-06	Z39-A	95	1.13	9.57	9.07	94.1
K1652-07	Z39-B	96	1.18	9.93	8.84	87.5
K1652-08	Z310-A	97	1.1	9.87	9.31	93.6
K1652-09	Z310-B	98	1.16	9.73	9.11	92.8
K1652-10	COMP-DAY-1	99	1.15	9.95	9.19	91.4
K1652-12	COMP-DAY-2	100	1.14	9.97	9.48	94.5
K1654-01	SOIL-PILE	101	1.17	9.98	9.11	90.1
K1654-02	SOIL-PILE	102	1.17	9.98	9.11	90.1
K1654-03	SOIL-PILE	103	1.17	9.98	9.11	90.1

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$