

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	slope	offset
LB101105BLW	100	01/03/2019 12:35	0.00	3.67	3.69	103.9	6.9
LB101105BSW	100	01/03/2019 12:37	54.20	4.34	8.58	103.9	6.9
K1656-01	50	01/03/2019 12:42	174.88	4.40	6.42	103.9	6.9
K1656-01DUP	50	01/03/2019 12:46	181.60	4.34	6.66	103.9	6.9
K1656-03	50	01/03/2019 12:51	124.48	4.25	5.84	103.9	6.9
K1656-05	50	01/03/2019 12:55	99.60	4.41	5.66	103.9	6.9
K1656-07	50	01/03/2019 12:59	162.64	4.22	6.86	103.9	6.9
K1656-09	50	01/03/2019 13:04	180.16	4.36	6.91	103.9	6.9
K1656-11	50	01/03/2019 13:09	148.72	4.31	6.77	103.9	6.9
K1656-13	50	01/03/2019 13:14	238.08	4.22	6.46	103.9	6.9
K1656-15	50	01/03/2019 13:19	0.00	4.13	4.17	103.9	6.9
K1656-17	50	01/03/2019 13:22	205.36	4.39	6.70	103.9	6.9
K1656-19	50	01/03/2019 13:26	118.56	4.33	6.76	103.9	6.9
K1656-21	50	01/03/2019 13:31	125.68	4.41	6.76	103.9	6.9
LB101105BLW-2	100	01/03/2019 13:52	0.00	3.82	3.85	103.9	6.9
LB101105BSW-2	100	01/03/2019 13:55	47.36	4.39	8.56	103.9	6.9
K1667-01	50	01/03/2019 14:00	72.08	4.33	7.00	103.9	6.9
K1667-02	50	01/03/2019 14:04	0.00	3.84	3.84	103.9	6.9
K1667-03	50	01/03/2019 14:06	172.64	4.34	6.03	103.9	6.9
K1667-04	50	01/03/2019 14:10	116.00	4.31	7.02	103.9	6.9
K1667-05	50	01/03/2019 14:15	81.52	4.39	5.72	103.9	6.9
K1667-06	50	01/03/2019 14:19	239.84	4.25	6.57	103.9	6.9
K1667-07	50	01/03/2019 14:28	288.48	4.11	6.52	103.9	6.9
K1667-08	50	01/03/2019 14:33	157.92	4.23	6.23	103.9	6.9
K1668-01	50	01/03/2019 14:38	166.32	4.38	6.86	103.9	6.9
K1668-03	50	01/03/2019 14:43	75.68	4.23	6.51	103.9	6.9
K1668-05	50	01/03/2019 14:47	89.68	4.42	6.50	103.9	6.9
K1668-07	50	01/03/2019 14:51	84.24	4.34	6.46	103.9	6.9
K1668-09	50	01/03/2019 14:55	84.32	4.36	6.55	103.9	6.9
K1668-09DUP	50	01/03/2019 14:59	82.40	4.41	6.55	103.9	6.9

03/01/19±B