



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB101200

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K1753-01	Z-2-5	1	100.02	0.00	03/06/2019	14:15
2	K1753-01DUP	Z-2-5DUP	1	100.03	0.00	03/06/2019	14:25
3	K1753-05	Z-2-6	1	100.08	0.00	03/06/2019	14:35
4	K1753-09	Z-2-7	1	100.06	0.00	03/06/2019	14:42

WORKLIST(Hardcopy Internal Chain)

LB101200

WorkList Name : PF3619

WorkList ID : 123056

Date : 03-06-2019 09:12:18

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/05/2019	Solid	K1753-01	B Paint Filter	Cool 4 deg C	PSEG01	K31	Z-2-5	03/05/2019	9095B
03/05/2019	Solid	K1753-05	A Paint Filter	Cool 4 deg C	PSEG01	K31	Z-2-6	03/05/2019	9095B
03/05/2019	Solid	K1753-09	A Paint Filter	Cool 4 deg C	PSEG01	K31	Z-2-7	03/05/2019	9095B

Date/Time 03/06/19 14:05
 Received by: KS
 Relinquished by: CP

Date/Time 03/06/19 14:45
 Received by: CP
 Relinquished by: KS