



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/7/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:10
In Date: 03/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 03/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101211

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1767-01	MGAGM3	1	1.17	9.89	9.81	99.1
K1767-02	MGAGM4	2	1.17	9.79	9.02	91.1
K1767-03	MGAGM5	3	1.16	9.6	9.37	97.3
K1767-04	MGAGM6	4	1.14	9.95	9.61	96.1
K1767-05	MGAGM7	5	1.1	9.96	9.8	98.2
K1767-06	MGAGM8	6	1.17	9.65	9.43	97.4
K1767-07	MGAGM9	7	1.13	9.94	9.8	98.4
K1767-08	MGAGN0	8	1.12	9.52	9.19	96.1
K1767-09	MGAGN1	9	1.14	9.57	9.04	93.7
K1767-10	MGAGN2	10	1.13	9.5	8.89	92.7
K1767-11	MGAGN3	11	1.17	9.85	9.62	97.4
K1767-12	MGAGN4	12	1.18	9.92	9.71	97.6
K1767-13	MGAGN5	13	1.14	9.67	9.44	97.3
K1767-14	MGAGN6	14	1.13	9.51	9.25	96.9
K1767-15	MGAGN6D	15	1.13	9.51	9.25	96.9
K1767-16	MGAGN6S	16	1.13	9.51	9.25	96.9
K1767-17	MGAGN7	17	1.17	9.63	9.23	95.3
K1767-18	MGAGN8	18	1.15	9.8	9.58	97.5
K1767-19	MGAGN9	19	1.17	9.82	9.54	96.8
K1767-20	MGAGP0	20	1.13	9.65	9.41	97.2
K1767-21	MGAGP1	21	1.1	9.57	9.24	96.1
K1767-22	MGAGP2	22	1.11	9.88	9.64	97.3
K1767-23	MGAGP3	23	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$