



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/7/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 03/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 03/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101214

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1757-01	TP-6CD-S1	1	1.14	9.96	8.88	87.8
K1757-02	TP-6CD-S2	2	1.13	9.81	8.06	79.8
K1757-03	TP-6CD-S	3	1.12	9.76	8.22	82.2
K1757-05	TP-6CD-D1	4	1.17	9.87	7.51	72.9
K1757-06	TP-6CD-D2	5	1.18	9.98	8.47	82.8
K1757-07	TP-6CD-D	6	1.13	9.79	8.36	83.5
K1757-09	TP-6AB-S1	7	1.14	9.85	8.55	85.1
K1757-10	TP-6AB-S2	8	1.16	9.81	8.54	85.3
K1757-11	TP-6AB-S	9	1.18	9.86	8.49	84.2
K1757-13	TP-6AB-D1	10	1.16	9.96	8.73	86.0
K1757-14	TP-6AB-D2	11	1.15	9.96	8.56	84.1
K1757-15	TP-6AB-D	12	1.13	9.92	8.04	78.6
K1759-08	BP-VPB201-GW-625-627	13	1.14	9.77	1.85	8.2
K1760-01	Z2-8-A	14	1.14	9.51	8.22	84.6
K1760-02	Z2-8-B	15	1.14	9.51	8.22	84.6
K1760-03	Z2-8	16	1.18	9.98	8.95	88.3
K1760-04	Z2-8	17	1.18	9.98	8.95	88.3
K1760-05	Z2-9-A	18	1.13	9.54	8.35	85.9
K1760-06	Z2-9-B	19	1.13	9.54	8.35	85.9
K1760-07	Z2-9	20	1.19	9.8	8.34	83.0
K1760-08	Z2-9	21	1.19	9.8	8.34	83.0
K1760-09	Z2-10-A	22	1.17	9.51	8.28	85.3
K1760-10	Z2-10-B	23	1.17	9.51	8.28	85.3
K1760-11	Z2-10	24	1.17	9.78	8.06	80.0
K1760-12	Z2-10	25	1.17	9.78	8.06	80.0
K1760-13	Z2-11-A	26	1.16	9.74	8.28	83.0
K1760-14	Z2-11-B	27	1.16	9.74	8.28	83.0
K1760-15	Z2-11	28	1.15	9.75	8.12	81.0
K1760-16	Z2-11	29	1.15	9.75	8.12	81.0
K1760-17	Z2-12-A	30	1.14	9.55	8.15	83.4
K1760-18	Z2-12-B	31	1.14	9.55	8.15	83.4
K1760-19	Z2-12	32	1.13	9.7	8.6	87.2
K1760-20	Z2-12	33	1.13	9.7	8.6	87.2
K1773-01	WASTE	34	1.16	9.91	8.43	83.1
K1776-01	390305023.0	35	1.17	9.97	1.6	4.9
K1778-01	390305055.0	36	1.19	9.98	1.54	4.0
K1780-01	SOIL-A	37	1.15	9.5	8.53	88.4
K1780-02	SOIL-A-1	38	1.15	9.5	8.53	88.4
K1780-03	SOIL-A-2	39	1.15	9.5	8.53	88.4



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/7/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 03/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 03/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101214

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Dish#</u>	<u>Dish Wt(g)</u> <u>(A)</u>	<u>Dish +</u> <u>Sample Wt(g)</u> <u>(B)</u>	<u>Dish + Dry</u> <u>Sample Wt(g)</u> <u>(C)</u>	<u>% Solid</u>
K1780-05	SOIL-B	40	1.19	9.94	9.00	89.3
K1780-06	SOIL-B-1	41	1.19	9.94	9.00	89.3
K1780-07	SOIL-B-2	42	1.19	9.94	9.00	89.3

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$