



PERCENT SOLID

Supervisor: AMANDEEP
Analyst: jignesh
Date: 3/16/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:35
In Date: 03/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:36
Out Date: 03/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101400

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1687-07	HR-05-031519-A	70	1.16	9.59	8.82	90.9
K1687-09	HR-05-031519-B	71	1.14	9.57	8.75	90.3
K1687-11	HR-05-031519-C	72	1.14	9.82	8.91	89.5
K1691-09	CL-01-031519-A	22	1.13	9.76	9.16	93.0
K1691-11	CL-01-031519-B	23	1.12	9.78	9.09	92.0
K1691-13	CL-01-031519-C	24	1.13	9.7	9.12	93.2
K1691-15	CL-01-031519-D	25	1.12	9.98	9.19	91.1
K1691-17	CL-01-031519-E	26	1.15	9.65	9.12	93.8
K1697-09	SU-01-031519-A	73	1.13	9.56	8.73	90.2
K1697-11	SU-01-031519-B	74	1.15	9.65	8.54	86.9
K1931-01	LSP-1	1	1.14	9.96	4.36	36.5
K1931-02	LSP-1	2	1.15	5.71	4.52	73.9
K1933-01	S-1	3	1.14	9.84	8.63	86.1
K1933-02	S-2	4	1.15	9.93	8.76	86.7
K1933-03	S-3	5	1.18	9.71	8.62	87.2
K1933-04	S-4	6	1.18	9.66	8.78	89.6
K1933-05	S-5	7	1.17	9.63	7.97	80.4
K1933-06	S-6	8	1.15	9.97	8.33	81.4
K1933-07	S-7	9	1.11	9.64	8.55	87.2
K1933-08	S-8	10	1.19	9.94	8.69	85.7
K1933-09	S-9	11	1.16	9.96	9.34	93.0
K1935-01	SB-17(0.5-1.5)	12	1.13	9.92	8.66	85.7
K1935-02	SB-17(5.5-6.5)	13	1.15	9.56	7.5	75.5
K1935-03	SB-5(7-8)	14	1.1	9.55	7.6	76.9
K1935-04	SB-5(13-14)	15	1.16	9.93	6.89	65.3
K1935-06	SB-18(11-12)	16	1.15	9.97	6.22	57.5
K1935-07	SB-18(14-15)	17	1.17	9.91	8.92	88.7
K1935-08	SB-2(10-11)	18	1.17	9.64	4.69	41.6
K1935-09	SB-2(14-15)	19	1.19	9.94	5.46	48.8
K1935-10	SB-7(6-7)	20	1.18	9.97	9.03	89.3
K1935-11	SB-7(9-10)	21	1.14	9.96	8.78	86.6
K1942-01	CH-WALLS	27	1.00	2.00	2.00	100.0
K1942-03	CH-CEILING	28	1.00	2.00	2.00	100.0
K1947-01	PST-028-B098-031219	29	1.12	9.66	9.00	92.3
K1947-02	PST-028-B003-31219	30	1.12	9.66	8.79	89.8
K1947-03	PST-028-B100-031219	31	1.1	9.97	8.66	85.2
K1947-04	PST-025-B032-031319	32	1.13	9.7	9.06	92.5
K1947-05	PST-025-B130-031319	33	1.16	9.85	8.99	90.1
K1947-06	PST-025-B035-031319	34	1.16	9.71	8.78	89.1



PERCENT SOLID

Supervisor: AMANDEEP
Analyst: jignesh
Date: 3/16/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:35
In Date: 03/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:36
Out Date: 03/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101400

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K1947-07	PST-025-B129-031319	35	1.13	9.96	9.24	91.8
K1947-08	PST-025-B128-031319	36	1.15	9.65	8.73	89.2
K1947-09	PST-025-B033-031339	37	1.11	9.97	9.02	89.3
K1947-10	PST-025-B127-031319	38	1.14	9.95	8.7	85.8
K1948-01	PST-025-B125-031319	39	1.15	9.97	8.69	85.5
K1948-02	PST-025-B126-031319	40	1.12	9.54	8.76	90.7
K1948-03	PST-026-B034-031319	41	1.12	9.97	8.97	88.7
K1948-04	PST-024-B020-031319	42	1.13	9.61	8.78	90.2
K1948-05	PST-028-SW065-031219	43	1.16	9.84	8.52	84.8
K1948-06	PST-028-SW064-031219	44	1.13	9.65	8.77	89.7
K1948-07	PST-025-SW01-031319	45	1.13	9.62	8.87	91.2
K1948-08	PST-025-SW02-031319	46	1.16	9.62	8.69	89.0
K1948-09	PST-025-SW03-031319	47	1.1	9.86	9.14	91.8
K1948-10	PST-025-SW04-031319	48	1.11	9.95	8.97	88.9
K1948-11	PST-025-SW081-031319	49	1.13	9.83	8.93	89.7
K1948-12	PST-025-SW079-031319	50	1.12	9.66	8.6	87.6
K1948-13	PST-025-SW047-031319	51	1.16	9.53	8.58	88.6
K1948-14	PST-025-SW046-031319	52	1.1	9.89	9.04	90.3
K1948-15	PST-025-SW080-031319	53	1.1	9.98	9.33	92.7
K1951-01	FK-GF-03-006-A	54	1.14	9.96	8.78	86.6
K1951-02	FK-GF-03-006-A	55	1.16	9.81	8.66	86.7
K1951-03	FK-GF-03-006-B	56	1.14	9.98	8.59	84.3
K1951-04	FK-GF-03-006-B	57	1.17	9.59	8.69	89.3
K1956-01	TP-7	58	1.14	9.81	8.82	88.6
K1956-02	TP-7-A	59	1.14	9.81	8.82	88.6
K1956-03	TP-7-B	60	1.14	9.81	8.82	88.6
K1956-05	TP-8	61	1.13	9.71	9.14	93.4
K1956-06	TP-8-A	62	1.13	9.71	9.14	93.4
K1956-07	TP-8-B	63	1.13	9.71	9.14	93.4
K1958-01	TP-1	64	1.11	9.41	8.33	87.0
K1958-02	TP-1	65	1.11	9.41	8.33	87.0
K1958-03	TP-2	66	1.1	9.88	8.82	87.9
K1958-04	TP-2	67	1.16	9.9	8.82	87.6
K1958-05	TP-3	68	1.16	9.9	8.81	87.5
K1958-06	TP-3	69	1.16	9.9	8.81	87.5

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$