

Clear table

IC-f
3-19-19
AQ 300.0

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000_2019-03-05_	3/5/19 16:02		AK/AP
STD2	0.1950	0.2100	0.2250	0.7370	0.1900	0.0560	1.2360	2019-03-05_	3/5/19 16:31		AK/AP
STD3	0.2630	0.3490	0.3570	1.1810	0.3000	0.4170	1.8370	2019-03-05_	3/5/19 17:01		AK/AP
STD4	0.4150	0.6220	0.6150	2.0530	0.5150	1.0860	3.1590	2019-03-05_	3/5/19 17:30		AK/AP
STD5	0.7440	1.1630	1.1610	3.8570	0.9630	2.1770	5.7470	2019-03-05_	3/5/19 18:00		AK/AP
STD6	1.8190	2.8790	2.8470	9.5650	2.3800	5.1210	14.0260	2019-03-05_	3/5/19 18:29		AK/AP
STD7	3.9910	5.9160	5.9430	19.7310	4.9180	9.8910	29.5330	2019-03-05_	3/5/19 18:59		AK/AP
STD8	5.0720	7.6110	7.6010	25.3750	6.3580	12.5020	38.2110	2019-03-05_	3/5/19 19:28		AK/AP
ICV	2.0300	2.9500	2.9330	9.6960	2.4100	5.4390	14.2470	2019-03-05_	3/5/19 19:57		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-05_	3/5/19 20:27		AK/AP
CCV	1.9980	2.8270	2.8270	9.5830	2.3400	5.4500	14.3680	2019-03-16_	3/16/19 6:46		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-16_	3/16/19 7:15		AK/AP
LB101427BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-16_	3/16/19 7:45		AK/AP
K1965-03	0.0000	559.4690	0.0000	0.0000	0.3920	0.0000	29.0910	2019-03-16_	3/16/19 8:58		AK/AP
K1965-04	0.0000	103.2870	0.0000	0.0000	6.1510	0.0000	26.7020	2019-03-16_	3/16/19 9:27		AK/AP
K1963-01	0.0000	130.8720	0.0000	0.0000	1.8410	0.0000	14.7550	2019-03-16_	3/16/19 9:56		AK/AP
K1963-04	0.0000	64.1880	0.0000	0.0000	5.0840	0.0000	23.8690	2019-03-16_	3/16/19 10:26		AK/AP
K1963-02	0.1770	61.5840	0.0000	0.0000	5.0860	0.0000	23.2830	2019-03-16_	3/16/19 10:55		AK/AP
K1963-07	0.0000	17.3670	0.0000	0.0000	2.1080	0.0000	6.4780	2019-03-16_	3/16/19 11:25		AK/AP
K1963-06	0.0000	43.4440	0.0000	0.0000	5.8280	0.0000	17.2100	2019-03-16_	3/16/19 11:54		AK/AP
K1963-08	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-16_	3/16/19 12:24		AK/AP
LB101427BSW	2.0110	2.9850	2.8430	9.5990	2.3680	5.4480	14.3780	2019-03-16_	3/16/19 12:53		AK/AP
CCV	1.9310	2.9180	2.8510	9.6350	2.4180	5.4940	14.5700	2019-03-16_	3/16/19 13:22		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-16_	3/16/19 13:52		AK/AP
K1963-12	0.0000	69.3920	0.0000	0.0000	3.8330	0.0000	12.5870	2019-03-16_	3/16/19 14:21		AK/AP
K1965-06	0.0000	56.0380	0.0000	0.0000	2.7860	0.0000	27.9550	2019-03-16_	3/16/19 14:51		AK/AP
K1965-10	0.0000	11.8210	0.0000	0.0000	2.0160	0.0000	10.4750	2019-03-16_	3/16/19 15:20		AK/AP
K1963-09	0.8030	15.6990	0.2540	0.0000	3.5240	0.0840	9.7320	2019-03-16_	3/16/19 15:50		AK/AP
K1963-14	0.0000	68.7050	0.0000	0.0000	3.8060	0.0000	12.4060	2019-03-16_	3/16/19 16:19		AK/AP
K1965-05	0.0000	101.6640	0.0000	0.0000	1.2340	0.0000	18.2370	2019-03-16_	3/16/19 16:48		AK/AP
K1963-11	0.0000	408.8120	0.0000	0.0000	1.0120	0.0000	137.1900	2019-03-16_	3/16/19 17:18		AK/AP
K1965-11	0.0000	60.2760	0.0000	1.1170	7.2430	0.0000	39.0300	2019-03-16_	3/16/19 17:47		AK/AP
K1965-12	0.0000	81.3470	0.0000	0.0000	5.0620	0.0000	13.5770	2019-03-16_	3/16/19 18:17		AK/AP
K1965-08	0.0000	57.0240	0.0000	0.0000	2.7960	0.0000	28.1270	2019-03-16_	3/16/19 18:46		AK/AP
CCV	1.9870	2.8680	2.8450	9.6450	2.3810	5.4450	14.2690	2019-03-16_	3/16/19 19:16		AK/AP


CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000
-----	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	-------

[illegible]

CALIBRATION OF COMPONENT F-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.804925 \cdot A + 2.50321$
 RSD: 5.846 %
 Correlation coefficient: 0.998841

IC-1 ~~8-0~~
 Col 03-05-19
 AR



K3 = 0 K2 = 0 K1 = 0.804925 K0 = 2.50321

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0		0	No
2	0.05848	1.744	0.1	20	5.913			Yes
3	0.1245	3.437	0.2	20	5.913			Yes
4	0.2695	7.209	0.4	20	5.913			Yes
5	0.5744	15.37	0.8	20	5.913			Yes
6	1.596	42.09	2	20	5.913			Yes
7	3.504	96.06	4	20	5.913			Yes
8	4.463	122.9	5	20	5.913			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.24374 \cdot A + 1.27387$
 RSD: 3.431 %
 Correlation coefficient: 0.999601




K3 = 0 K2 = 0 K1 = 1.24374 K0 = 1.27387

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1378	2.359	0.15	20	8.858			Yes
3	0.2672	4.595	0.3	20	8.858			Yes
4	0.5199	8.974	0.6	20	8.858			Yes
5	1.042	17.67	1.2	20	8.858			Yes
6	2.693	45.27	3	20	8.858			Yes
7	5.632	94.1	6	20	8.858			Yes
8	7.317	121.4	7.5	20	8.858			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.523191 \cdot A + 1.70358$
 RSD: 3.640 %
 Correlation coefficient: 0.999551




K3 = 0 K2 = 0 K1 = 0.523191 K0 = 1.70358

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2585	5.357	0.15	20	10.65			Yes
3	0.5158	10.38	0.3	20	10.65			Yes
4	1.042	20.25	0.6	20	10.65			Yes
5	2.128	41.14	1.2	20	10.65			Yes
6	5.551	105.6	3	20	10.65			Yes
7	11.6	223.9	6	20	10.65			Yes
8	14.93	287.3	7.5	20	10.65			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 2.82009 \cdot A + 7.76849$
 RSD: 3.594 %
 Correlation coefficient: 0.999562




K3 = 0 K2 = 0 K1 = 2.82009 K0 = 7.76849

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1234	2.473	0.5	20	13.72			Yes
3	0.2646	5.624	1	20	13.72			Yes
4	0.5553	11.81	2	20	13.72			Yes
5	1.14	24.6	4	20	13.72			Yes
6	2.942	65.08	10	20	13.72			Yes
7	5.927	137.2	20	20	13.72			Yes
8	7.449	177.2	25	20	13.72			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.490563 \cdot A + 1.54373$
 RSD: 4.068 %
 Correlation coefficient: 0.999439



K3 = 0 K2 = 0 K1 = 0.490563 K0 = 1.54373

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1812	4.602	0.125	20	15.65	Yes	
3	0.3607	9.092	0.25	20	15.65	Yes	
4	0.7284	17.86	0.5	20	15.65	Yes	
5	1.48	36.13	1	20	15.65	Yes	
6	3.872	93.87	2.5	20	15.65	Yes	
7	8.278	197.4	5	20	15.65	Yes	
8	10.82	256.1	6.25	20	15.65	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.05291 \cdot A - 7.73973$
 RSD: 3.321 %
 Correlation coefficient: 0.999626




K3 = 0 K2 = 0 K1 = 1.05291 K0 = -7.73973

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	—	0	0	0	0		0	No
2	0.185	8.412	0.25	20	21.48	Yes		
3	0.3481	15.27	0.5	20	21.48	Yes		
4	0.6551	27.98	1	20	21.48	Yes		
5	1.199	48.71	2	20	21.48	Yes		
6	2.752	104.6	5	20	21.48	Yes		
7	5.446	195.2	10	20	21.48	Yes		
8	6.973	244.8	12.5	20	21.48	Yes		

CALIBRATION OF COMPONENT SO4

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.55143 \cdot A + 10.9562$
 RSD: 4.851 %
 Correlation coefficient: 0.999202



K3 = 0 K2 = 0 K1 = 1.55143 K0 = 10.9562

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.276	8.873	0.75	20	25.17			Yes
3	0.539	16.62	1.5	20	25.17			Yes
4	1.084	33.66	3	20	25.17			Yes
5	2.197	67.03	6	20	25.17			Yes
6	5.818	173.8	15	20	25.17			Yes
7	12.54	373.7	30	20	25.17			Yes
8	16.37	485.5	37.5	20	25.17			Yes

Report date: 3/6/2019 8:51:35 AM
Printed by: wet


Ident: STD1
Analysis from: 3/5/2019 4:02:28 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65511

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:51:47 AM
Printed by: wet


Ident: STD2
Analysis from: 3/5/2019 4:31:54 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65512

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.390	0.06	4.74	1.744	5.16	0.
2	8.70	0.260	0.14	11.22	2.359	6.98	0.
3	10.38	0.289	0.26	21.16	5.357	15.84	0.
4	13.17	0.321	0.12	10.08	2.473	7.31	0.
5	15.01	0.385	0.18	14.80	4.602	13.61	0.
6	20.82	0.594	0.18	15.11	8.412	24.87	0.
7	23.76	0.483	0.28	22.57	8.873	26.24	0.
7	26.50	0.389	1.22	99.68	33.820	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:51:55 AM
Printed by: wet


Ident: STD3
Analysis from: 3/5/2019 5:01:19 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65513

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.378	0.12	5.12	3.437	5.29	0.
2	8.50	0.257	0.27	11.02	4.595	7.07	0.
3	10.16	0.287	0.52	21.30	10.378	15.96	0.
4	12.96	0.336	0.26	10.91	5.624	8.65	0.
5	14.80	0.381	0.36	14.90	9.092	13.99	0.
6	20.62	0.573	0.35	14.37	15.268	23.49	0.
7	23.56	0.469	0.54	22.25	16.617	25.56	0.
7	26.50	0.383	2.42	99.87	65.009	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:02 AM
Printed by: wet


Ident: STD4
Analysis from: 3/5/2019 5:30:44 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65514

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.69	0.365	0.27	5.54	7.209	5.64	0.
2	8.50	0.262	0.52	10.69	8.974	7.03	0.
3	10.18	0.286	1.04	21.47	20.252	15.85	0.
4	12.97	0.334	0.55	11.43	11.807	9.24	0.
5	14.80	0.374	0.73	14.99	17.858	13.98	0.
6	20.61	0.561	0.65	13.48	27.979	21.90	0.
7	23.59	0.471	1.08	22.32	33.663	26.35	0.
7	26.50	0.379	4.85	99.92	127.743	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:08 AM
Printed by: wet


Ident: STD5
Analysis from: 3/5/2019 6:00:09 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65515

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.363	0.57	5.87	15.370	6.13	0.
2	8.51	0.254	1.04	10.68	17.672	7.05	0.
3	10.17	0.284	2.13	21.80	41.139	16.41	0.
4	12.97	0.337	1.14	11.68	24.601	9.82	0.
5	14.78	0.370	1.48	15.16	36.130	14.41	0.
6	20.59	0.537	1.20	12.29	48.709	19.43	0.
7	23.57	0.465	2.20	22.50	67.028	26.74	0.
7	26.50	0.373	9.76	99.98	250.651	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:15 AM
Printed by: wet


Ident: STD6
Analysis from: 3/5/2019 6:29:34 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65516

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.358	1.60	6.32	42.090	6.68	0.
2	8.50	0.251	2.69	10.67	45.265	7.18	0.
3	10.15	0.282	5.55	22.00	105.573	16.75	0.
4	12.94	0.345	2.94	11.66	65.077	10.33	0.
5	14.72	0.367	3.87	15.35	93.867	14.89	0.
6	20.56	0.508	2.75	10.91	104.625	16.60	0.
7	23.56	0.454	5.82	23.06	173.754	27.57	0.
7	26.50	0.366	25.22	99.99	630.251	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:22 AM
Printed by: wet


Ident: STD7
Analysis from: 3/5/2019 6:59:00 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65517

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.357	3.50	6.62	96.056	7.29	0.
2	8.53	0.249	5.63	10.64	94.102	7.14	0.
3	10.17	0.287	11.60	21.91	223.939	17.00	0.
4	12.97	0.363	5.93	11.20	137.180	10.41	0.
5	14.72	0.358	8.28	15.64	197.370	14.98	0.
6	20.57	0.486	5.45	10.29	195.238	14.82	0.
7	23.58	0.452	12.54	23.69	373.664	28.36	0.
7	26.50	0.365	52.92	100.00	1317.548	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:32 AM
Printed by: wet


Ident: STD8
Analysis from: 3/5/2019 7:28:25 PM
File: _2019-03-05_

Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65518

Last save: 3/6/2019 8:41:34 AM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.366	4.46	6.53	122.913	7.25	0.
2	8.53	0.247	7.32	10.71	121.372	7.16	0.
3	10.17	0.285	14.93	21.85	287.324	16.95	0.
4	12.98	0.375	7.45	10.90	177.205	10.45	0.
5	14.71	0.356	10.82	15.84	256.077	15.11	0.
6	20.55	0.478	6.97	10.21	244.820	14.44	0.
7	23.56	0.451	16.37	23.95	485.529	28.64	0.
7	26.50	0.365	68.32	100.00	1695.239	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:42 AM
Printed by: wet

Ident: ICV
Analysis from: 3/5/2019 7:57:50 PM
File: _2019-03-05_


Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65519

Last save: 3/6/2019 8:41:34 AM

SAMPLE:

: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.364	1.66	6.43	47.318	7.27	0.
2	8.48	0.252	2.75	10.63	46.407	7.13	0.
3	10.14	0.284	5.66	21.88	108.852	16.72	0.
4	12.94	0.345	2.99	11.56	66.007	10.14	0.
5	14.72	0.364	3.95	15.29	95.092	14.61	0.
6	20.59	0.509	2.91	11.25	110.672	17.00	0.
7	23.58	0.452	5.93	22.95	176.602	27.13	0.
7	26.50	0.367	25.85	99.99	650.950	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:53 AM
Printed by: wet

Ident: ICB
Analysis from: 3/5/2019 8:27:15 PM
File: _2019-03-05_


Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65520

Last save: 3/6/2019 8:41:34 AM

SAMPLE:

: AK/AP
Vial number: 11
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 10:32:24 AM
 Printed by: wet


Ident: CCV
 Analysis from: 3/16/2019 6:46:13 AM
 File: _2019-03-16_

Last save: 3/16/2019 7:32:30 AM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65803

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
 : AK/AP
 Vial number: 19
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.413	1.42	5.90	46.523	7.24	0.
2	8.50	0.264	2.55	10.58	44.435	6.92	0.
3	10.14	0.301	5.21	21.64	104.809	16.32	0.
4	12.91	0.352	2.86	11.87	65.208	10.15	0.
5	14.66	0.376	3.71	15.40	92.253	14.36	0.
6	20.64	0.535	2.84	11.78	110.877	17.26	0.
7	23.70	0.497	5.50	22.83	178.164	27.74	0.
7	26.50	0.391	24.07	99.99	642.269	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/18/2019 10:32:32 AM
Printed by: wet


Ident: CCB
Analysis from: 3/16/2019 7:15:39 AM
File: _2019-03-16_

Last save: 3/16/2019 7:41:58 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65804

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 20
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 3:18:26 PM
Printed by: wet

Ident: LB101427BLW
Analysis from: 3/16/2019 7:45:04 AM
File: _2019-03-16_


Last save: 3/18/2019 3:18:08 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65805

Last save: 3/13/2019 2:20:54 PM

SAMPLE:

: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 10:19:46 AM
Printed by: wet


Ident: K1965-03
Analysis from: 3/16/2019 8:58:00 AM
File: _2019-03-16_

Last save: 3/16/2019 10:19:46 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65807

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 21
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.92	0.404	371.20	96.72	8995.511	95.94	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.78	0.370	0.53	0.14	12.819	0.14	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.97	0.475	11.76	3.06	367.961	3.92	0.
7	26.50	0.179	383.49	99.92	9376.292	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 10:20:41 AM
Printed by: wet


Ident: K1965-04
Analysis from: 3/16/2019 9:27:25 AM
File: _2019-03-16_

Last save: 3/16/2019 10:20:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65808

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 22
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.71	0.257	98.97	82.35	1659.886	73.95	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.75	0.356	10.42	8.67	247.607	11.03	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.11	0.475	10.79	8.98	337.165	15.02	0.
7	26.50	0.155	120.18	100.00	2244.657	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 10:23:46 AM
Printed by: wet


Ident: K1965-01
Analysis from: 3/16/2019 9:56:51 AM
File: _2019-03-16_

Last save: 3/16/2019 10:23:46 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65809

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 23
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.70	0.259	125.28	93.47	2103.461	89.08	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.03	0.353	0.13	0.09	2.768	0.12	0.
5	14.89	0.381	2.87	2.14	71.895	3.04	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.11	0.485	5.74	4.29	183.151	7.76	0.
7	26.50	0.211	134.02	99.99	2361.275	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 11:02:59 AM
Printed by: wet


Ident: K1963-04
Analysis from: 3/16/2019 10:26:16 AM
File: _2019-03-16_

Last save: 3/16/2019 11:03:00 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65810

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 24
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.55	0.258	60.88	77.17	1031.153	67.14	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.62	0.360	8.54	10.82	204.140	13.29	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.82	0.482	9.48	12.01	300.636	19.57	0.
7	26.50	0.157	78.89	100.01	1535.929	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 11:27:13 AM
Printed by: wet


Ident: K1963-02
Analysis from: 3/16/2019 10:55:42 AM
File: _2019-03-16_

Last save: 3/16/2019 11:27:10 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65811

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 25
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.434	0.05	0.06	1.299	0.09	0.
2	8.58	0.253	59.23	76.88	989.277	66.49	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.63	0.361	8.52	11.06	204.195	13.72	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.83	0.481	9.24	12.00	293.092	19.70	0.
7	26.50	0.219	77.05	100.00	1487.863	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/16/2019 11:58:15 AM
Printed by: wet


Ident: K1963-07
Analysis from: 3/16/2019 11:25:08 AM
File: _2019-03-16_

Last save: 3/16/2019 11:58:16 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65812

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 26
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.55	0.255	16.32	74.32	278.250	63.60	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.68	0.374	3.35	15.27	82.776	18.92	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.94	0.512	2.28	10.41	76.450	17.48	0.
7	26.50	0.163	21.95	100.00	437.476	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 10:57:19 AM
Printed by: wet


Ident: K1963-06
Analysis from: 3/16/2019 11:54:43 AM
File: _2019-03-16_

Last save: 3/17/2019 5:34:28 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65813

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 27
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.53	0.248	42.45	72.16	697.575	60.83	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.63	0.361	9.74	16.56	234.441	20.44	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.83	0.494	6.63	11.28	214.801	18.73	0.
7	26.50	0.158	58.83	100.00	1146.817	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:35:09 AM
Printed by: wet

Ident: K1963-08
Analysis from: 3/16/2019 12:24:08 PM
File: _2019-03-16_


Last save: 3/16/2019 12:50:28 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65814

Last save: 3/13/2019 2:20:54 PM

SAMPLE:

: AK/AP
Vial number: 28
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 3:18:33 PM
Printed by: wet


Ident: LB101427BSW
Analysis from: 3/16/2019 12:53:33 PM
File: _2019-03-16_

Last save: 3/18/2019 3:18:08 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65815

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.414	1.44	5.88	46.845	7.24	0.
2	8.58	0.275	2.60	10.62	46.981	7.26	0.
3	10.23	0.301	5.26	21.52	105.442	16.29	0.
4	12.96	0.349	2.89	11.82	65.322	10.09	0.
5	14.71	0.377	3.75	15.35	93.412	14.44	0.
6	20.74	0.527	2.96	12.09	110.834	17.13	0.
7	23.85	0.491	5.56	22.72	178.284	27.55	0.
7	26.50	0.391	24.45	99.99	647.121	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:35:42 AM
 Printed by: wet


Ident: CCV
 Analysis from: 3/16/2019 1:22:59 PM
 File: _2019-03-16_

Last save: 3/16/2019 2:31:02 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65816

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.416	1.38	5.66	44.865	6.90	0.
2	8.54	0.268	2.59	10.67	45.895	7.06	0.
3	10.17	0.298	5.30	21.82	105.727	16.27	0.
4	12.92	0.350	2.89	11.89	65.574	10.09	0.
5	14.68	0.385	3.75	15.43	95.426	14.68	0.
6	20.78	0.550	2.86	11.75	111.703	17.19	0.
7	23.91	0.501	5.53	22.76	180.768	27.81	0.
7	26.50	0.395	24.30	99.99	649.958	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/17/2019 5:35:53 AM
Printed by: wet

Ident: CCB
Analysis from: 3/16/2019 1:52:24 PM
File: _2019-03-16_


Last save: 3/16/2019 2:18:44 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65817

Last save: 3/13/2019 2:20:54 PM

SAMPLE:

: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:36:16 AM
Printed by: wet


Ident: K1963-12
Analysis from: 3/16/2019 2:21:49 PM
File: _2019-03-16_

Last save: 3/16/2019 2:48:08 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65818

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 31
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.256	66.09	85.76	1114.841	78.34	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.78	0.376	6.16	7.99	153.131	10.76	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.44	0.495	4.82	6.25	155.196	10.90	0.
7	26.50	0.161	77.06	100.00	1423.167	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:36:41 AM
 Printed by: wet


Ident: K1965-06
 Analysis from: 3/16/2019 2:51:14 PM
 File: _2019-03-16_

Last save: 3/16/2019 3:17:34 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65819

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 29
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.54	0.251	54.28	77.67	900.101	66.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.66	0.375	4.45	6.37	110.454	8.10	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.78	0.481	11.15	15.95	353.311	25.91	0.
7	26.50	0.158	69.89	100.00	1363.866	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/17/2019 5:37:02 AM
Printed by: wet


Ident: K1965-10
Analysis from: 3/16/2019 3:20:40 PM
File: _2019-03-16_

Last save: 3/16/2019 3:47:00 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65820

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 30
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.54	0.261	10.78	60.33	189.064	47.73	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.72	0.384	3.13	17.51	79.031	19.95	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.83	0.494	3.96	22.16	127.977	32.31	0.
7	26.50	0.163	17.87	100.00	396.071	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:37:47 AM
Printed by: wet


Ident: K1963-09
Analysis from: 3/16/2019 3:50:05 PM
File: _2019-03-16_

Last save: 3/16/2019 4:16:24 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65821

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 32
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.414	0.48	1.92	16.853	3.11	0.
2	8.63	0.255	14.81	58.89	251.423	46.34	0.
3	10.28	0.306	0.31	1.24	6.448	1.19	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.71	0.374	5.66	22.51	140.519	25.90	0.
6	20.79	0.590	0.21	0.82	8.946	1.65	0.
7	23.84	0.493	3.67	14.61	118.393	21.82	0.
7	26.50	0.347	25.14	100.00	542.582	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:38:13 AM
Printed by: wet


Ident: K1963-14
Analysis from: 3/16/2019 4:19:30 PM
File: _2019-03-16_

Last save: 3/16/2019 4:45:50 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65822

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 33
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.56	0.258	64.95	85.74	1103.778	78.36	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.67	0.378	6.07	8.02	152.038	10.79	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.85	0.491	4.73	6.25	152.867	10.85	0.
7	26.50	0.161	75.75	100.01	1408.683	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:38:53 AM
Printed by: wet


Ident: K1965-05
Analysis from: 3/16/2019 4:48:55 PM
File: _2019-03-16_

Last save: 3/16/2019 5:15:16 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65823

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 34
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.60	0.255	98.36	91.63	1633.776	85.58	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.75	0.391	1.84	1.71	47.152	2.47	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.94	0.486	7.14	6.65	228.033	11.95	0.
7	26.50	0.162	107.35	100.00	1908.961	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:39:59 AM
 Printed by: wet


Ident: K1963-11
 Analysis from: 3/16/2019 5:18:21 PM
 File: _2019-03-16_

Last save: 3/17/2019 5:40:00 AM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65824

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 35
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.84	0.351	306.36	84.47	6572.866	78.51	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.90	0.375	1.56	0.43	38.115	0.46	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.92	0.494	54.59	15.05	1761.506	21.04	0.
7	26.50	0.174	362.51	99.95	8372.488	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/17/2019 5:40:58 AM
Printed by: wet


Ident: K1965-11
Analysis from: 3/16/2019 5:47:46 PM
File: _2019-03-16_

Last save: 3/16/2019 6:14:06 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65825

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 36
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.58	0.256	57.06	67.52	968.238	54.96	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.04	0.340	0.24	0.29	5.165	0.29	0.
5	14.69	0.363	12.08	14.30	292.127	16.58	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.85	0.499	15.12	17.89	496.093	28.16	0.
7	26.50	0.208	84.50	100.00	1761.623	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:44:31 AM
Printed by: wet


Ident: K1965-12
Analysis from: 3/16/2019 6:17:11 PM
File: _2019-03-16_

Last save: 3/16/2019 6:43:32 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65826

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 37
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.257	77.31	85.22	1307.069	77.88	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.67	0.367	8.29	9.14	203.247	12.11	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.86	0.499	5.12	5.64	167.963	10.01	0.
7	26.50	0.161	90.72	100.00	1678.279	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:45:20 AM
Printed by: wet


Ident: K1965-08
Analysis from: 3/16/2019 6:46:37 PM
File: _2019-03-16_

Last save: 3/16/2019 7:12:56 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65827

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 38
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.58	0.256	54.19	77.71	915.950	66.26	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.71	0.381	4.42	6.33	110.861	8.02	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.81	0.485	11.13	15.95	355.538	25.72	0.
7	26.50	0.160	69.73	100.00	1382.348	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 10:08:44 AM
 Printed by: wet


Ident: CCV
 Analysis from: 3/16/2019 7:16:02 PM
 File: _2019-03-16_

Last save: 3/18/2019 10:08:44 AM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65828

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 19
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.91	0.430	1.38	5.72	46.251	7.18	0.
2	8.68	0.269	2.54	10.56	45.089	7.00	0.
3	10.31	0.305	5.20	21.62	105.488	16.38	0.
4	13.06	0.353	2.87	11.92	65.647	10.19	0.
5	14.82	0.387	3.68	15.31	93.943	14.59	0.
6	20.81	0.539	2.94	12.22	110.787	17.20	0.
7	23.91	0.496	5.44	22.65	176.879	27.46	0.
7	26.50	0.397	24.04	100.00	644.084	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/17/2019 5:49:37 AM
Printed by: wet


Ident: CCB
Analysis from: 3/16/2019 7:45:27 PM
File: _2019-03-16_

Last save: 3/16/2019 8:11:46 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65829

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 20
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 3:19:57 PM
Printed by: wet


Ident: LB101427BSW2
Analysis from: 3/16/2019 8:14:52 PM
File: _2019-03-16_

Last save: 3/18/2019 3:19:52 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65830

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 49
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.427	1.44	5.90	48.662	7.28	0.
2	8.57	0.271	2.57	10.51	46.002	6.88	0.
3	10.24	0.319	5.22	21.32	110.472	16.52	0.
4	13.07	0.360	2.88	11.78	67.424	10.08	0.
5	14.87	0.402	3.72	15.19	98.131	14.67	0.
6	20.97	0.539	3.07	12.57	119.733	17.90	0.
7	24.07	0.493	5.56	22.71	178.447	26.68	0.
7	26.50	0.401	24.47	99.99	668.871	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/18/2019 3:20:06 PM
Printed by: wet


Ident: LB101427BLW2
Analysis from: 3/16/2019 8:44:18 PM
File: _2019-03-16_

Last save: 3/18/2019 3:19:52 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65831

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 50
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:52:57 AM
 Printed by: wet


Ident: K1965-08DUP
 Analysis from: 3/16/2019 9:13:43 PM
 File: _2019-03-16_

Last save: 3/17/2019 5:52:56 AM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65832

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 39
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.75	0.260	54.55	77.91	931.335	66.60	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.95	0.382	4.40	6.28	110.770	7.92	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.03	0.489	11.07	15.80	356.322	25.48	0.
7	26.50	0.161	70.02	100.00	1398.427	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/17/2019 5:53:21 AM
Printed by: wet


Ident: K1965-08MS
Analysis from: 3/16/2019 9:43:08 PM
File: _2019-03-16_

Last save: 3/16/2019 10:09:28 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65833

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 40
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.90	0.487	1.69	1.85	63.649	3.12	0.
2	8.73	0.262	52.12	57.11	897.738	44.05	0.
3	10.39	0.315	5.37	5.89	112.554	5.52	0.
4	13.25	0.356	2.98	3.27	68.737	3.37	0.
5	14.96	0.374	8.41	9.21	208.331	10.22	0.
6	20.98	0.559	3.81	4.17	151.030	7.41	0.
7	24.05	0.485	16.87	18.48	536.050	26.30	0.
7	26.50	0.405	91.26	100.00	2038.088	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:53:33 AM
Printed by: wet


Ident: K1965-08MSD
Analysis from: 3/16/2019 10:12:33 PM
File: _2019-03-16_

Last save: 3/16/2019 10:38:54 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65834

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 41
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.489	1.59	1.76	58.280	2.92	0.
2	8.64	0.256	52.21	57.68	879.413	44.06	0.
3	10.26	0.310	5.20	5.74	107.456	5.38	0.
4	13.05	0.355	2.90	3.20	66.574	3.34	0.
5	14.77	0.378	8.26	9.13	206.807	10.36	0.
6	20.80	0.554	3.71	4.10	148.191	7.43	0.
7	23.88	0.485	16.65	18.39	529.086	26.51	0.
7	26.50	0.404	90.52	100.00	1995.807	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:55:01 AM
Printed by: wet


Ident: K1965-03DLX100
Analysis from: 3/16/2019 10:41:59 PM
File: _2019-03-16_

Last save: 3/17/2019 5:55:02 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65835

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 42
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.68	0.281	3.36	100.01	62.641	100.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.50	0.040	3.36	100.01	62.641	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:56:28 AM
Printed by: wet


Ident: K1965-04DLX20
Analysis from: 3/16/2019 11:11:24 PM
File: _2019-03-16_

Last save: 3/17/2019 5:56:26 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65836

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 43
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.69	0.270	3.35	80.33	59.619	70.82	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.93	0.399	0.39	9.46	10.288	12.22	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.98	0.512	0.42	10.17	14.276	16.96	0.
7	26.50	0.169	4.17	99.97	84.184	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:57:24 AM
Printed by: wet


Ident: K1965-01DLX20
Analysis from: 3/16/2019 11:40:49 PM
File: _2019-03-16_

Last save: 3/17/2019 5:57:24 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65837

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 44
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.74	0.275	4.29	94.29	78.098	89.98	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.07	0.517	0.26	5.69	8.702	10.02	0.
7	26.50	0.113	4.55	99.97	86.800	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:57:52 AM
Printed by: wet


Ident: K1963-04DLX10
Analysis from: 3/17/2019 12:10:14 AM
File: _2019-03-17_

Last save: 3/17/2019 5:57:48 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65838

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 45
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.66	0.274	4.43	74.78	81.497	64.45	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.94	0.400	0.69	11.71	18.177	14.37	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.01	0.513	0.80	13.50	26.779	21.18	0.
7	26.50	0.170	5.93	99.98	126.454	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:58:15 AM
Printed by: wet


Ident: K1963-02DLX10
Analysis from: 3/17/2019 12:39:40 AM
File: _2019-03-17_

Last save: 3/17/2019 5:58:16 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65839

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 46
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.73	0.268	4.33	74.47	76.700	63.36	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.96	0.397	0.70	11.96	18.065	14.92	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.02	0.511	0.79	13.55	26.298	21.72	0.
7	26.50	0.168	5.82	99.98	121.063	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 5:58:56 AM
Printed by: wet


Ident: K1963-07DLX5
Analysis from: 3/17/2019 1:09:05 AM
File: _2019-03-17_

Last save: 3/17/2019 1:35:24 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65840

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 51
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.274	2.76	72.58	49.890	61.69	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.79	0.397	0.61	15.91	15.744	19.47	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.99	0.529	0.44	11.50	15.239	18.84	0.
7	26.50	0.171	3.81	99.99	80.873	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 6:01:27 AM
Printed by: wet


Ident: CCV
Analysis from: 3/17/2019 3:36:11 AM
File: _2019-03-17_

Last save: 3/17/2019 4:02:30 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65845

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.425	1.42	5.83	47.638	7.19	0.
2	8.55	0.276	2.57	10.53	46.641	7.04	0.
3	10.20	0.315	5.25	21.53	109.809	16.57	0.
4	13.02	0.360	2.92	11.96	68.421	10.32	0.
5	14.82	0.397	3.72	15.24	97.322	14.68	0.
6	20.87	0.536	3.00	12.30	114.458	17.27	0.
7	23.99	0.497	5.51	22.59	178.477	26.93	0.
7	26.50	0.401	24.40	99.99	662.766	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 6:01:37 AM
Printed by: wet


Ident: CCB
Analysis from: 3/17/2019 4:05:36 AM
File: _2019-03-17_

Last save: 3/17/2019 6:01:16 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65846

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:47:06 AM
Printed by: wet


Ident: LB101427BLW3
Analysis from: 3/17/2019 4:51:20 AM
File: _2019-03-17_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65849

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 49
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:47:16 AM
Printed by: wet


Ident: LB101427BSW3
Analysis from: 3/17/2019 5:21:33 AM
File: _2019-03-17_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65850

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.450	1.47	6.06	51.175	7.69	0.
2	8.54	0.272	2.57	10.56	45.921	6.90	0.
3	10.18	0.307	5.25	21.57	106.640	16.02	0.
4	12.95	0.354	2.89	11.89	66.610	10.01	0.
5	14.71	0.386	3.75	15.42	95.674	14.37	0.
6	20.69	0.553	2.89	11.87	116.849	17.55	0.
7	23.81	0.508	5.51	22.63	182.825	27.46	0.
7	26.50	0.404	24.34	100.00	665.695	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/17/2019 6:23:14 AM
Printed by: wet


Ident: K1965-11DLX2
Analysis from: 3/17/2019 5:51:46 AM
File: _2019-03-17_

Last save: 3/17/2019 6:23:12 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65851

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 60
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.261	26.19	68.33	453.732	55.41	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.73	0.384	5.45	14.23	138.882	16.96	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.06	0.517	6.69	17.44	226.321	27.64	0.
7	26.50	0.166	38.33	100.00	818.936	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:49:21 AM
Printed by: wet


Ident: K1969-02
Analysis from: 3/17/2019 6:21:12 AM
File: _2019-03-17_

Last save: 3/18/2019 11:36:06 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65852

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 52
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.56	0.257	44.72	76.69	758.154	64.62	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.77	0.393	3.91	6.71	101.184	8.62	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.86	0.494	9.68	16.60	313.947	26.76	0.
7	26.50	0.163	58.31	100.00	1173.284	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:49:40 AM
Printed by: wet


Ident: K1969-03
Analysis from: 3/17/2019 6:50:39 AM
File: _2019-03-17_

Last save: 3/18/2019 11:36:06 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65853

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 53
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.71	0.271	35.38	83.31	636.508	75.21	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.04	0.389	3.37	7.93	86.579	10.23	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.18	0.505	3.72	8.76	123.170	14.55	0.
7	26.50	0.166	42.47	100.00	846.257	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:50:03 AM
Printed by: wet


Ident: K1969-08
Analysis from: 3/17/2019 7:23:38 AM
File: _2019-03-17_

Last save: 3/18/2019 4:49:22 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65854

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 54
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.82	0.267	67.75	77.08	1186.633	65.38	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.15	0.386	4.62	5.25	117.978	6.50	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.61	0.501	15.53	17.67	510.505	28.13	0.
7	26.50	0.165	87.89	100.00	1815.116	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:43:13 AM
Printed by: wet


Ident: K1969-05
Analysis from: 3/17/2019 7:53:04 AM
File: _2019-03-17_

Last save: 3/19/2019 10:43:12 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65855

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 55
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.71	0.275	161.54	98.79	2846.960	98.01	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.87	0.387	1.00	0.61	25.317	0.87	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.11	0.514	0.96	0.59	32.573	1.12	0.
7	26.50	0.168	163.50	99.99	2904.850	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:50:46 AM
Printed by: wet


Ident: K1969-07
Analysis from: 3/17/2019 8:22:29 AM
File: _2019-03-17_

Last save: 3/18/2019 11:36:06 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65856

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 73
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.264	6.50	68.60	113.418	55.19	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.79	0.403	1.13	11.94	29.997	14.60	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.03	0.514	1.84	19.44	62.097	30.22	0.
7	26.50	0.169	9.47	99.99	205.512	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:51:23 AM
Printed by: wet


Ident: K1969-09
Analysis from: 3/17/2019 8:51:54 AM
File: _2019-03-17_

Last save: 3/19/2019 9:51:22 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65857

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 56
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.62	0.263	66.56	77.26	1150.449	65.62	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.79	0.381	4.63	5.38	116.486	6.64	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.03	0.495	14.96	17.37	486.264	27.74	0.
7	26.50	0.163	86.16	100.01	1753.200	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:52:03 AM
Printed by: wet


Ident: CCV
Analysis from: 3/17/2019 10:49:57 AM
File: _2019-03-17_

Last save: 3/17/2019 11:16:16 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65861

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 47
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.429	1.40	5.78	47.456	7.20	0.
2	8.57	0.275	2.57	10.61	46.318	7.02	0.
3	10.23	0.310	5.23	21.56	107.639	16.32	0.
4	13.02	0.357	2.89	11.93	67.137	10.18	0.
5	14.79	0.391	3.71	15.27	95.506	14.48	0.
6	20.88	0.537	3.00	12.35	113.792	17.25	0.
7	24.05	0.512	5.46	22.49	181.630	27.54	0.
7	26.50	0.401	24.27	99.99	659.478	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:52:11 AM
Printed by: wet


Ident: CCB
Analysis from: 3/17/2019 11:19:22 AM
File: _2019-03-17_

Last save: 3/17/2019 11:45:42 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65862

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 48
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:56:06 AM
Printed by: wet


Ident: K1963-06DLX10
Analysis from: 3/17/2019 12:47:38 PM
File: _2019-03-17_

Last save: 3/17/2019 1:13:58 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65865

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 61
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.60	0.274	3.14	69.27	56.605	57.86	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.83	0.402	0.81	17.91	21.316	21.79	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.10	0.522	0.58	12.79	19.914	20.36	0.
7	26.50	0.171	4.53	99.97	97.835	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:57:34 AM
Printed by: wet


Ident: K1965-06DLX10
Analysis from: 3/17/2019 1:46:28 PM
File: _2019-03-17_

Last save: 3/17/2019 2:12:48 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65867

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 63
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.55	0.269	3.93	75.21	69.697	62.90	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.78	0.401	0.37	7.17	9.805	8.85	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.07	0.520	0.92	17.59	31.304	28.25	0.
7	26.50	0.170	5.22	99.97	110.807	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:58:13 AM
Printed by: wet


Ident: K1965-10DLX2
Analysis from: 3/17/2019 2:15:54 PM
File: _2019-03-17_

Last save: 3/17/2019 2:42:14 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65868

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 64
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.270	4.91	59.75	87.679	46.51	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.78	0.399	1.47	17.85	38.401	20.37	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.12	0.520	1.84	22.39	62.429	33.12	0.
7	26.50	0.170	8.22	99.99	188.509	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:59:05 AM
Printed by: wet


Ident: K1963-09DLX5
Analysis from: 3/17/2019 2:45:19 PM
File: _2019-03-17_

Last save: 3/19/2019 9:59:06 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65869

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 65
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.58	0.272	2.53	59.59	45.543	47.43	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.75	0.398	1.02	24.05	26.593	27.69	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.10	0.530	0.69	16.33	23.888	24.88	0.
7	26.50	0.171	4.25	99.97	96.024	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 9:59:53 AM
Printed by: wet


Ident: K1963-14DLX10
Analysis from: 3/17/2019 3:14:44 PM
File: _2019-03-17_

Last save: 3/17/2019 3:41:04 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65870

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 66
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.271	4.84	83.69	86.799	75.24	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.78	0.408	0.51	8.85	13.641	11.82	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.09	0.532	0.43	7.43	14.926	12.94	0.
7	26.50	0.173	5.79	99.98	115.366	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:00:59 AM
Printed by: wet


Ident: K1965-05DLX20
Analysis from: 3/17/2019 3:44:09 PM
File: _2019-03-17_

Last save: 3/19/2019 10:00:58 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65871

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 67
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.274	3.30	91.30	59.553	84.36	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.07	0.538	0.31	8.68	11.040	15.64	0.
7	26.50	0.116	3.61	99.98	70.593	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:02:05 AM
Printed by: wet


Ident: K1963-11DLX5
Analysis from: 3/17/2019 4:13:35 PM
File: _2019-03-17_

Last save: 3/19/2019 10:02:00 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65872

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 68
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.62	0.263	70.36	88.85	1207.438	80.55	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.83	0.404	0.28	0.35	7.300	0.49	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.09	0.505	8.55	10.80	284.244	18.96	0.
7	26.50	0.168	79.19	100.00	1498.982	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:02:23 AM
 Printed by: wet


Ident: CCV
 Analysis from: 3/17/2019 5:41:50 PM
 File: _2019-03-17_

Last save: 3/17/2019 6:08:10 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65875

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 47
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.84	0.427	1.39	5.67	42.306	6.42	0.
2	8.60	0.276	2.61	10.67	47.554	7.22	0.
3	10.24	0.311	5.27	21.55	108.283	16.44	0.
4	13.00	0.354	2.93	12.00	67.406	10.23	0.
5	14.76	0.391	3.75	15.35	96.464	14.64	0.
6	20.91	0.541	3.02	12.37	115.219	17.49	0.
7	24.10	0.510	5.47	22.38	181.575	27.56	0.
7	26.50	0.401	24.44	100.00	658.809	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/19/2019 10:02:31 AM
Printed by: wet


Ident: CCB
Analysis from: 3/17/2019 6:11:16 PM
File: _2019-03-17_

Last save: 3/17/2019 6:37:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65876

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 48
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:02:39 AM
Printed by: wet


Ident: LB101427BLW4
Analysis from: 3/17/2019 6:40:41 PM
File: _2019-03-17_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65877

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 126
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:02:49 AM
Printed by: wet


Ident: LB101427BSW4
Analysis from: 3/17/2019 7:10:06 PM
File: _2019-03-17_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65878

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 127
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.432	1.35	5.59	44.637	6.77	0.
2	8.57	0.276	2.59	10.73	46.825	7.10	0.
3	10.20	0.320	5.26	21.82	111.144	16.85	0.
4	12.99	0.357	2.91	12.07	67.416	10.22	0.
5	14.76	0.394	3.70	15.37	95.910	14.54	0.
6	20.90	0.544	2.90	12.02	111.307	16.87	0.
7	24.08	0.521	5.39	22.38	182.522	27.66	0.
7	26.50	0.406	24.09	99.99	659.761	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:03:37 AM
Printed by: wet


Ident: K1963-11DL2X100
Analysis from: 3/17/2019 7:39:31 PM
File: _2019-03-17_

Last save: 3/19/2019 10:03:36 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65879

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 69
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.61	0.278	2.38	86.94	43.554	77.65	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.13	0.533	0.36	13.05	12.534	22.35	0.
7	26.50	0.116	2.74	99.99	56.089	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:04:42 AM
Printed by: wet


Ident: K1965-11DL2X10
Analysis from: 3/17/2019 8:08:56 PM
File: _2019-03-17_

Last save: 3/17/2019 8:35:16 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65880

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 70
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.272	4.24	66.09	76.012	53.09	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.79	0.406	0.97	15.09	25.681	17.94	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.07	0.525	1.21	18.81	41.485	28.97	0.
7	26.50	0.172	6.42	99.99	143.178	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:05:44 AM
Printed by: wet


Ident: K1965-12DLX20
Analysis from: 3/17/2019 8:38:21 PM
File: _2019-03-17_

Last save: 3/17/2019 9:04:42 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65881

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 71
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.277	2.71	82.91	49.269	74.38	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.84	0.409	0.33	10.01	8.727	13.17	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.11	0.543	0.23	7.06	8.243	12.44	0.
7	26.50	0.176	3.27	99.98	66.240	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:06:11 AM
Printed by: wet


Ident: K1965-08DLX10
Analysis from: 3/17/2019 9:07:47 PM
File: _2019-03-17_

Last save: 3/17/2019 9:34:06 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65882

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 72
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.61	0.273	3.97	75.42	71.237	63.17	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.85	0.413	0.37	7.02	9.952	8.83	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.13	0.527	0.93	17.56	31.579	28.00	0.
7	26.50	0.173	5.27	100.00	112.768	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 11:24:50 AM
Printed by: wet


Ident: K1969-02DLX5
Analysis from: 3/17/2019 9:37:12 PM
File: _2019-03-17_

Last save: 3/19/2019 11:24:44 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65883

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 73
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.57	0.271	6.47	68.38	116.548	55.54	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.79	0.403	1.12	11.87	29.649	14.13	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.05	0.523	1.87	19.73	63.630	30.33	0.
7	26.50	0.171	9.46	99.98	209.827	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:11:17 AM
Printed by: wet


Ident: K1969-03DLX10
Analysis from: 3/17/2019 10:06:37 PM
File: _2019-03-17_

Last save: 3/18/2019 11:36:06 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65884

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 74
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.58	0.274	3.39	74.81	61.296	62.50	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.82	0.415	0.33	7.20	8.844	9.02	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.06	0.528	0.81	17.97	27.927	28.48	0.
7	26.50	0.174	4.53	99.98	98.067	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:14:18 AM
Printed by: wet


Ident: CCV
Analysis from: 3/17/2019 11:34:52 PM
File: _2019-03-17_

Last save: 3/18/2019 12:01:12 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65887

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.439	1.40	5.67	46.526	6.88	0.
2	8.56	0.277	2.64	10.70	48.038	7.10	0.
3	10.21	0.315	5.34	21.64	110.694	16.37	0.
4	12.98	0.356	2.98	12.08	69.184	10.23	0.
5	14.76	0.399	3.77	15.28	98.788	14.61	0.
6	20.88	0.549	3.00	12.14	115.359	17.06	0.
7	24.07	0.521	5.55	22.48	187.707	27.76	0.
7	26.50	0.408	24.68	100.00	676.296	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:14:29 AM
Printed by: wet


Ident: CCB
Analysis from: 3/18/2019 12:04:18 AM
File: _2019-03-18_

Last save: 3/18/2019 12:30:38 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65888

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:14:36 AM
Printed by: wet


Ident: LB101427BLW5
Analysis from: 3/18/2019 1:32:33 AM
File: _2019-03-18_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65891

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 126
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:14:51 AM
 Printed by: wet


Ident: LB101427BSW5
 Analysis from: 3/18/2019 2:01:59 AM
 File: _2019-03-18_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65892

Last save: 3/13/2019 2:20:54 PM

SAMPLE: AK/AP
 :
 Vial number: 127
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.444	1.36	5.72	46.926	7.19	0.
2	8.59	0.279	2.53	10.67	46.204	7.08	0.
3	10.23	0.317	5.16	21.73	107.553	16.48	0.
4	12.99	0.358	2.89	12.19	67.529	10.35	0.
5	14.77	0.399	3.64	15.32	95.158	14.58	0.
6	20.92	0.550	2.87	12.09	110.652	16.96	0.
7	24.11	0.520	5.28	22.27	178.434	27.35	0.
7	26.50	0.410	23.73	99.99	652.457	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/19/2019 10:27:31 AM
Printed by: wet


Ident: K1969-09DLX10
Analysis from: 3/18/2019 9:18:46 AM
File: _2019-03-18_

Last save: 3/19/2019 10:27:32 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65898

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 115
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.65	0.296	4.43	74.87	85.343	61.15	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.15	0.445	0.36	6.11	10.462	7.50	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.90	0.577	1.12	19.02	43.751	31.35	0.
7	26.50	0.188	5.91	99.99	139.555	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:29:42 AM
Printed by: wet


Ident: K1969-05DLX50
Analysis from: 3/18/2019 9:48:12 AM
File: _2019-03-18_

Last save: 3/19/2019 10:29:42 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65899

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 114
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.61	0.301	1.93	99.97	37.850	100.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.50	0.043	1.93	99.97	37.850	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:29:56 AM
Printed by: wet


Ident: K1969-08DLX10
Analysis from: 3/18/2019 10:51:48 AM
File: _2019-03-18_

Last save: 3/18/2019 11:36:08 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65901

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 79
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.290	4.75	75.50	90.736	62.65	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.91	0.440	0.36	5.80	10.405	7.18	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.97	0.571	1.17	18.68	43.698	30.17	0.
7	26.50	0.186	6.29	99.98	144.840	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:31:08 AM
Printed by: wet


Ident: CCV
Analysis from: 3/18/2019 11:21:14 AM
File: _2019-03-18_

Last save: 3/18/2019 2:08:06 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65902

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.432	1.31	5.98	42.899	6.74	0.
2	8.58	0.297	2.36	10.82	45.536	7.15	0.
3	10.22	0.341	4.75	21.76	105.634	16.59	0.
4	13.00	0.375	2.70	12.38	66.035	10.37	0.
5	14.78	0.426	3.33	15.24	92.992	14.60	0.
6	20.79	0.591	2.59	11.84	108.828	17.09	0.
7	23.97	0.564	4.80	21.98	174.992	27.47	0.
7	26.50	0.432	21.84	100.00	636.916	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:31:15 AM
Printed by: wet


Ident: CCB
Analysis from: 3/18/2019 12:13:14 PM
File: _2019-03-18_

Last save: 3/18/2019 12:39:34 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65904

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:31:23 AM
Printed by: wet


Ident: LB101427BLW6
Analysis from: 3/18/2019 12:42:40 PM
File: _2019-03-18_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65905

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:31:32 AM
Printed by: wet


Ident: LB101427BSW6
Analysis from: 3/18/2019 1:12:06 PM
File: _2019-03-18_

Last save: 3/18/2019 3:46:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65906

Last save: 3/13/2019 2:20:54 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.450	1.27	5.93	44.728	7.15	0.
2	8.60	0.295	2.30	10.72	44.061	7.04	0.
3	10.24	0.336	4.65	21.72	102.273	16.35	0.
4	13.00	0.367	2.65	12.37	63.386	10.13	0.
5	14.77	0.422	3.27	15.27	90.274	14.43	0.
6	20.89	0.588	2.58	12.05	108.827	17.40	0.
7	24.14	0.567	4.70	21.93	171.936	27.49	0.
7	26.50	0.432	21.43	99.99	625.484	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:32:17 AM
 Printed by: wet


Ident: K1965-08DUP
 Analysis from: 3/18/2019 1:45:12 PM
 File: _2019-03-18_

Last save: 3/18/2019 2:11:32 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65907

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 39
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.275	52.73	78.77	945.625	66.43	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.73	0.416	4.18	6.24	114.137	8.02	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.14	0.558	10.03	14.99	363.636	25.55	0.
7	26.50	0.178	66.94	100.00	1423.398	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/19/2019 10:32:37 AM
 Printed by: wet


Ident: K1965-08MS
 Analysis from: 3/18/2019 2:14:37 PM
 File: _2019-03-18_

Last save: 3/18/2019 2:40:58 PM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65908

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
 : AK/AP
 Vial number: 40
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.469	1.55	1.79	56.218	2.73	0.
2	8.60	0.279	50.34	58.03	912.469	44.34	0.
3	10.23	0.337	5.20	6.00	113.995	5.54	0.
4	13.00	0.372	2.96	3.41	71.714	3.48	0.
5	14.72	0.409	8.00	9.22	215.742	10.48	0.
6	20.92	0.599	3.34	3.85	140.035	6.80	0.
7	24.14	0.550	15.35	17.70	547.669	26.61	0.
7	26.50	0.431	86.74	100.00	2057.843	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/19/2019 10:32:48 AM
Printed by: wet


Ident: K1965-08MSD
Analysis from: 3/18/2019 2:44:03 PM
File: _2019-03-18_

Last save: 3/18/2019 3:10:22 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65909

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 41
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.481	1.45	1.68	53.684	2.63	0.
2	8.60	0.280	50.57	58.63	918.344	44.92	0.
3	10.23	0.338	5.06	5.86	111.253	5.44	0.
4	13.01	0.372	2.87	3.33	69.599	3.40	0.
5	14.75	0.411	7.88	9.13	214.027	10.47	0.
6	20.94	0.599	3.23	3.75	134.980	6.60	0.
7	24.18	0.551	15.19	17.61	542.399	26.53	0.
7	26.50	0.433	86.25	100.00	2044.286	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:39:57 AM
Printed by: wet


Ident: K1969-02RE
Analysis from: 3/18/2019 3:13:28 PM
File: _2019-03-18_

Last save: 3/18/2019 3:39:48 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65910

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 52
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.59	0.278	43.83	78.14	793.721	65.96	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.74	0.422	3.64	6.50	100.403	8.34	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.12	0.552	8.62	15.37	309.262	25.70	0.
7	26.50	0.179	56.10	100.01	1203.386	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:40:18 AM
Printed by: wet


Ident: K1969-03RE
Analysis from: 3/18/2019 3:42:54 PM
File: _2019-03-18_

Last save: 3/18/2019 4:09:14 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65911

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 53
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.60	0.275	34.27	84.12	617.961	74.89	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.74	0.421	3.12	7.67	85.999	10.42	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.19	0.559	3.34	8.21	121.238	14.69	0.
7	26.50	0.179	40.74	100.00	825.198	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:40:26 AM
Printed by: wet


Ident: CCV
Analysis from: 3/18/2019 4:41:44 PM
File: _2019-03-18_

Last save: 3/18/2019 5:08:42 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65913

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.436	1.30	5.73	44.482	6.93	0.
2	8.62	0.283	2.50	11.03	46.167	7.19	0.
3	10.26	0.323	5.02	22.16	106.495	16.59	0.
4	13.02	0.360	2.82	12.44	66.076	10.29	0.
5	14.78	0.402	3.54	15.61	93.524	14.57	0.
6	20.93	0.584	2.63	11.60	110.121	17.15	0.
7	24.20	0.559	4.85	21.41	175.189	27.29	0.
7	26.50	0.421	22.64	99.99	642.053	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:40:34 AM
Printed by: wet


Ident: CCB
Analysis from: 3/18/2019 5:11:10 PM
File: _2019-03-18_

Last save: 3/18/2019 5:37:30 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65914

Last save: 3/16/2019 2:30:56 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:41:39 AM
Printed by: wet


Ident: K1969-08RE
Analysis from: 3/18/2019 5:40:35 PM
File: _2019-03-18_

Last save: 3/19/2019 10:41:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65915

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 54
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.61	0.273	64.68	78.01	1148.121	65.25	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.81	0.396	4.41	5.32	115.512	6.57	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.19	0.551	13.82	16.67	495.844	28.18	0.
7	26.50	0.174	82.91	100.00	1759.477	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:43:20 AM
Printed by: wet


Ident: K1969-05RE
Analysis from: 3/18/2019 6:10:00 PM
File: _2019-03-18_

Last save: 3/18/2019 6:36:20 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65916

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 55
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.71	0.286	163.58	98.86	2987.816	98.06	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.86	0.409	0.98	0.59	26.165	0.86	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.19	0.564	0.90	0.54	32.955	1.08	0.
7	26.50	0.180	165.46	99.99	3046.936	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:46:24 AM
Printed by: wet


Ident: K1969-07RE
Analysis from: 3/18/2019 6:39:25 PM
File: _2019-03-18_

Last save: 3/18/2019 7:05:44 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65917

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 73
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.62	0.279	6.33	69.24	116.172	55.63	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.85	0.420	1.09	11.94	29.955	14.34	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.21	0.565	1.72	18.81	62.704	30.03	0.
7	26.50	0.180	9.15	99.98	208.831	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:48:46 AM
Printed by: wet


Ident: K1969-09RE
Analysis from: 3/18/2019 7:08:50 PM
File: _2019-03-18_

Last save: 3/19/2019 10:47:44 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65918

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 56
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.61	0.273	66.65	78.36	1182.125	65.86	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.77	0.405	4.52	5.31	120.544	6.72	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.16	0.544	13.89	16.34	492.152	27.42	0.
7	26.50	0.174	85.06	100.01	1794.821	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:49:25 AM
Printed by: wet


Ident: K1969-05DUP
Analysis from: 3/18/2019 7:38:15 PM
File: _2019-03-18_

Last save: 3/19/2019 10:49:26 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65919

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 57
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.70	0.284	163.79	98.87	2968.377	98.03	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.83	0.415	0.98	0.59	26.457	0.87	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	24.21	0.565	0.90	0.54	33.083	1.09	0.
7	26.50	0.181	165.67	100.01	3027.918	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:49:40 AM
Printed by: wet


Ident: K1969-05MS
Analysis from: 3/18/2019 8:07:40 PM
File: _2019-03-18_

Last save: 3/18/2019 8:34:00 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65920

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 58
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.483	1.48	0.85	55.042	1.60	0.
2	8.66	0.285	149.92	86.46	2726.854	79.27	0.
3	10.21	0.328	5.02	2.89	107.457	3.12	0.
4	12.98	0.352	2.96	1.71	68.043	1.98	0.
5	14.73	0.401	4.67	2.69	123.446	3.59	0.
6	20.87	0.598	3.25	1.88	141.907	4.13	0.
7	24.12	0.551	6.09	3.51	217.063	6.31	0.
7	26.50	0.428	173.38	99.99	3439.813	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:49:53 AM
Printed by: wet


Ident: K1969-05MSD
Analysis from: 3/18/2019 8:37:05 PM
File: _2019-03-18_

Last save: 3/18/2019 9:03:26 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65921

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 59
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.494	1.51	0.87	55.658	1.60	0.
2	8.68	0.291	148.43	86.05	2748.428	78.88	0.
3	10.25	0.333	5.17	3.00	112.293	3.22	0.
4	13.04	0.354	3.05	1.77	70.464	2.02	0.
5	14.80	0.407	4.76	2.76	127.404	3.66	0.
6	20.94	0.601	3.34	1.94	146.663	4.21	0.
7	24.19	0.554	6.23	3.61	223.301	6.41	0.
7	26.50	0.433	172.49	100.00	3484.210	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:50:24 AM
Printed by: wet


Ident: CCV
Analysis from: 3/18/2019 9:06:31 PM
File: _2019-03-18_

Last save: 3/18/2019 9:32:50 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65922

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.442	1.27	5.77	43.446	6.81	0.
2	8.58	0.289	2.42	10.93	45.641	7.16	0.
3	10.22	0.331	4.88	22.06	105.760	16.58	0.
4	12.99	0.368	2.74	12.41	65.715	10.30	0.
5	14.78	0.419	3.39	15.33	93.136	14.60	0.
6	20.90	0.587	2.58	11.70	109.111	17.11	0.
7	24.16	0.563	4.82	21.79	175.014	27.44	0.
7	26.50	0.428	22.10	100.00	637.822	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/19/2019 10:50:34 AM
Printed by: wet


Ident: CCB
Analysis from: 3/18/2019 9:35:56 PM
File: _2019-03-18_

Last save: 3/18/2019 10:02:16 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65923

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD