



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 3/19/2019

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 03/18/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 03/19/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-1  
Thermometer ID: %SOLIDS-OVEN

QC:LB101432

| Lab ID   | Client Sample ID        | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|-------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| K1692-03 | OK-02-031819            | 1     | 1.13              | 9.6                           | 8.89                              | 91.6    |
| K1693-09 | OR-03-031819-A          | 2     | 1.12              | 9.72                          | 9.00                              | 91.6    |
| K1693-11 | OR-03-031819-B          | 3     | 1.15              | 9.8                           | 9.11                              | 92.0    |
| K1941-07 | SP                      | 4     | 1.11              | 9.79                          | 8.71                              | 87.6    |
| K1941-08 | SP                      | 5     | 1.11              | 9.79                          | 8.71                              | 87.6    |
| K1943-01 | 20190124-LOC-1          | 6     | 1.13              | 9.78                          | 3.08                              | 22.5    |
| K1943-02 | 20190125-LOC-2          | 7     | 1.15              | 9.95                          | 3.25                              | 23.9    |
| K1943-03 | 20190126-LOC-3          | 8     | 1.13              | 9.94                          | 4.26                              | 35.5    |
| K1943-04 | 20190127-LOC-4          | 9     | 1.13              | 9.61                          | 2.8                               | 19.7    |
| K1943-05 | 20190128-LOC-5          | 10    | 1.16              | 9.78                          | 2.32                              | 13.5    |
| K1943-06 | 20190129-LOC-6          | 11    | 1.13              | 9.6                           | 2.26                              | 13.3    |
| K1943-07 | 20190130-LOC-7          | 12    | 1.17              | 9.77                          | 2.98                              | 21.0    |
| K1943-08 | 20190131-LOC-8          | 13    | 1.15              | 9.98                          | 3.85                              | 30.6    |
| K1943-09 | 20190132-LOC-9          | 14    | 1.14              | 9.97                          | 3.61                              | 28.0    |
| K1943-10 | 20190133-LOC-10         | 15    | 1.17              | 9.93                          | 4.66                              | 39.8    |
| K1944-01 | 20190136-WIPE-1-BARRELS | 16    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1944-02 | 20190137-WIPE-2-BOAT    | 17    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1944-03 | 20190138-WIPE-3-TOOLS   | 18    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1944-04 | 20190139-WIPE-4-CONES   | 19    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1944-05 | 20190140-WIPE-5-PADDLES | 20    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-05 | SVOC-GPC-BLANK          | 21    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-06 | PEST-GPC-BLANK          | 22    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-07 | PEST-GPC-BLANK-SPIKE    | 23    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-08 | PCB-GPC-BLANK           | 24    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-09 | PCB-GPC-BLANK-SPIKE     | 25    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-10 | SVOC-GPC2-BLANK         | 26    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-11 | PEST-GPC2-BLANK         | 27    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-12 | PEST-GPC2-BLANK-SPIKE   | 28    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-13 | PCB-GPC2-BLANK          | 29    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1962-14 | PCB-GPC2-BLANK-SPIKE    | 30    | 1.00              | 2.00                          | 2.00                              | 100.0   |
| K1970-01 | P-1-N.WALL              | 31    | 1.14              | 9.65                          | 8.8                               | 90.0    |
| K1970-02 | P-2-E.WALL-NORTH        | 32    | 1.15              | 9.94                          | 8.94                              | 88.6    |
| K1970-03 | P-3-E.WALL-N.CENTER     | 33    | 1.16              | 9.84                          | 8.77                              | 87.7    |
| K1970-04 | P-4-E.WALL-S.CENTER     | 34    | 1.19              | 9.96                          | 8.91                              | 88.0    |
| K1970-05 | P-5-E.WALL-SOUTH        | 35    | 1.16              | 9.94                          | 8.85                              | 87.6    |
| K1970-06 | P-6-SOUTH-WALL          | 36    | 1.17              | 9.95                          | 8.91                              | 88.2    |
| K1970-07 | P-7-WEST-WALL-SOUTH     | 37    | 1.14              | 9.91                          | 9.06                              | 90.3    |
| K1970-08 | P-8-W.WALL-S.CENTER     | 38    | 1.16              | 9.73                          | 8.33                              | 83.7    |
| K1970-09 | P-9-W.WALL-N.CENTER     | 39    | 1.14              | 9.97                          | 9.18                              | 91.1    |



# PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 3/19/2019

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:25  
In Date: 03/18/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 03/19/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-1  
Thermometer ID: %SOLIDS-OVEN

QC:LB101432

| Lab ID   | Client Sample ID    | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|---------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| K1970-10 | P-10-W.WALL-NORTH   | 40    | 1.15              | 9.56                          | 8.55                              | 88.0    |
| K1971-01 | SB-8(9-10)-031519   | 41    | 1.13              | 9.56                          | 8.05                              | 82.1    |
| K1971-02 | SB-8(14-15)-031519  | 42    | 1.19              | 9.72                          | 8.25                              | 82.8    |
| K1971-03 | SB-9(1-2)-031519    | 43    | 1.17              | 9.55                          | 8.04                              | 82.0    |
| K1971-04 | SB-9(7-8)-031519    | 44    | 1.18              | 9.98                          | 8.86                              | 87.3    |
| K1971-05 | SB-10(1-2)-031519   | 45    | 1.18              | 9.9                           | 8.76                              | 86.9    |
| K1971-06 | SB-10(6-7)-031519   | 46    | 1.15              | 9.94                          | 8.54                              | 84.1    |
| K1971-07 | SB-14(9-11)-031519  | 47    | 1.12              | 9.71                          | 7.63                              | 75.8    |
| K1971-08 | SB-14(13-15)-031519 | 48    | 1.12              | 9.55                          | 3.62                              | 29.7    |
| K1971-09 | SB-15(1-2)-031519   | 49    | 1.14              | 9.97                          | 8.76                              | 86.3    |
| K1971-10 | SB-15(6-7)-031519   | 50    | 1.18              | 9.98                          | 9.00                              | 88.9    |
| K1971-11 | SB-15(5)031519      | 51    | 1.15              | 9.96                          | 8.88                              | 87.7    |
| K1974-01 | WC4                 | 52    | 1.11              | 9.97                          | 9.18                              | 91.1    |
| K1979-01 | BFD1A               | 53    | 1.1               | 9.94                          | 8.68                              | 85.7    |
| K1980-01 | WCXY2               | 54    | 1.13              | 9.57                          | 8.33                              | 85.3    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

LB 101432

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-031819

WorkList ID : 123521

Date : 03-16-2019 09:01:13

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample         | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------------|--------------|--------------|
| 03/21/2019 | Solid  | K1692-03 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OK-02-031819            | 03/18/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1693-09 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OR-03-031819-A          | 03/18/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1693-11 | Percent Solids | Cool 4 deg C | PSEG05   |                  | OR-03-031819-B          | 03/18/2019   | Chemtech -SO |
| 03/25/2019 | Solid  | K1941-07 | Percent Solids | Cool 4 deg C | PSEG01   | K31              | SP                      | 03/18/2019   | Chemtech -SO |
| 03/25/2019 | Solid  | K1941-08 | Percent Solids | Cool 4 deg C | PSEG01   | K31              | SP                      | 03/18/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1943-01 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190124-LOC-1          | 03/11/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1943-02 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190125-LOC-2          | 03/11/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1943-03 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190126-LOC-3          | 03/11/2019   | Chemtech -SO |
| 03/21/2019 | Solid  | K1943-04 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190127-LOC-4          | 03/11/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-05 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190128-LOC-5          | 03/12/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-06 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190129-LOC-6          | 03/12/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-07 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190130-LOC-7          | 03/12/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-08 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190131-LOC-8          | 03/12/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-09 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190132-LOC-9          | 03/13/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1943-10 | Percent Solids | Cool 4 deg C | AQUA04   | F22              | 20190133-LOC-10         | 03/13/2019   | Chemtech -SO |
| 03/23/2019 | Solid  | K1944-01 | Percent Solids | Cool 4 deg C | AQUA04   | F11              | 20190136-WIPE-1-BARRELS | 03/13/2019   | Chemtech -SO |
| 03/23/2019 | Solid  | K1944-02 | Percent Solids | Cool 4 deg C | AQUA04   | F11              | 20190137-WIPE-2-BOAT    | 03/13/2019   | Chemtech -SO |
| 03/23/2019 | Solid  | K1944-03 | Percent Solids | Cool 4 deg C | AQUA04   | F11              | 20190138-WIPE-3-TOOLS   | 03/13/2019   | Chemtech -SO |
| 03/23/2019 | Solid  | K1944-04 | Percent Solids | Cool 4 deg C | AQUA04   | F11              | 20190139-WIPE-4-CONES   | 03/13/2019   | Chemtech -SO |
| 03/23/2019 | Solid  | K1944-05 | Percent Solids | Cool 4 deg C | AQUA04   | F11              | 20190140-WIPE-5-PADDLES | 03/13/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-05 | Percent Solids | Cool 4 deg C | CHEM02   |                  | SVOC-GPC-BLANK          | 03/08/2019   | Chemtech -SO |

Date/Time 03-16-19 16:10  
 Received by: JB  
 Relinquished by: CA

Date/Time 03-16-19 17:30  
 Received by: yd  
 Relinquished by: m

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-031819

WorkList ID : 123521

Date : 03-16-2019 09:01:13

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 03/18/2019 | Solid  | K1962-06 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC-BLANK        | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-07 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC-BLANK-SPIKE  | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-08 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC-BLANK         | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-09 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC-BLANK-SPIKE   | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-10 | Percent Solids | Cool 4 deg C | CHEM02   |                  | SVOC-GPC2-BLANK       | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-11 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC2-BLANK       | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-12 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC2-BLANK-SPIKE | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-13 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC2-BLANK        | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1962-14 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC2-BLANK-SPIKE  | 03/08/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-01 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-1-N.WALL            | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-02 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-2-E.WALL-NORTH      | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-03 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-3-E.WALL-N.CENTER   | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-04 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-4-E.WALL-S.CENTER   | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-05 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-5-E.WALL-SOUTH      | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-06 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-6-SOUTH-WALL        | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-07 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-7-WEST-WALL-SOUTH   | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-08 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-8-W.WALL-S.CENTER   | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-09 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-9-W.WALL-N.CENTER   | 03/15/2019   | Chemtech -SO |
| 03/18/2019 | Solid  | K1970-10 | Percent Solids | Cool 4 deg C | WARR01   | F11              | P-10-W.WALL-NORTH     | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-01 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-8(9-10)-031519     | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-02 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-8(14-15)-031519    | 03/15/2019   | Chemtech -SO |

Date/Time 03-16-19 16:10

Received by: JR

Relinquished by: SP

Date/Time 03-16-19 17:30

Received by: JR

Relinquished by: CR

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-031819

WorkList ID : 123521

Date : 03-16-2019 09:01:13

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample     | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|---------------------|--------------|--------------|
| 03/22/2019 | Solid  | K1971-03 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-9(1-2)-031519    | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-04 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-9(7-8)-031519    | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-05 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-10(1-2)-031519   | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-06 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-10(6-7)-031519   | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-07 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-14(9-11)-031519  | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-08 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-14(13-15)-031519 | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-09 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-15(1-2)-031519   | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-10 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-15(6-7)-031519   | 03/15/2019   | Chemtech -SO |
| 03/22/2019 | Solid  | K1971-11 | Percent Solids | Cool 4 deg C | AKRF02   | F31              | SB-15(5)-031519     | 03/15/2019   | Chemtech -SO |
| 03/24/2019 | Solid  | K1974-01 | Percent Solids | Cool 4 deg C | GENV01   | F41              | WC4                 | 03/14/2019   | Chemtech -SO |
| 03/25/2019 | Solid  | K1979-01 | Percent Solids | Cool 4 deg C | GENV01   |                  | BFD1A               | 03/15/2019   | Chemtech -SO |
| 03/25/2019 | Solid  | K1980-01 | Percent Solids | Cool 4 deg C | GENV01   | F11              | WCXY2               | 03/15/2019   | Chemtech -SO |

Date/Time

Received by:

Relinquished by:

Date/Time

Received by:

Relinquished by: