



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 3/28/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:25
In Date: 03/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 03/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101661

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2119-01	BF598	1	1.14	9.6	8.61	88.3
K2119-02	BF599	2	1.14	9.59	7.56	76.0
K2119-03	BF5A0	3	1.14	9.82	8.02	79.3
K2119-04	BF5A1	4	1.15	9.96	9.29	92.4
K2119-05	BF5A2	5	1.19	9.72	8.26	82.9
K2119-06	BF5A3	6	1.17	9.51	8.31	85.6
K2119-07	BF5C2	7	1.15	9.88	8.77	87.3
K2119-08	BF5C3	8	1.14	9.87	8.03	78.9
K2119-09	BF5D2	9	1.16	9.97	8.64	84.9
K2119-10	BF5A4	10	1.16	9.8	8.42	84.0
K2119-11	BF5A5	11	1.1	9.69	8.62	87.5
K2119-12	BF5A7	12	1.16	9.68	8.63	87.7
K2119-13	BF5A8	13	1.13	9.95	8.41	82.5
K2119-14	BF5A9	14	1.17	9.5	8.04	82.5
K2119-15	BF5B3	15	1.17	9.5	8.58	89.0
K2119-16	BF5B3MS	16	1.17	9.5	8.58	89.0
K2119-17	BF5B3MSD	17	1.17	9.5	8.58	89.0
K2119-18	BF5B4	18	1.19	9.9	8.58	84.8
K2119-19	BF5B6	19	1.16	9.91	9.1	90.7
K2119-20	VHBLK01	20	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$