



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB101666

Reagent/Standard	Lot/Log #
COD Digestion Vials Low Level 0-150Mg/L	W2469
COD ICV-LCS std, 50ppm	WP72786
COD calibration std. 100 ppm	WP72783
COD calibration std. 10 ppm	WP72781
COD calibration std. 150 ppm	WP72784
COD calibration std. 50 ppm	WP72782
COD calibration std. 0 ppm	WP72780
COD ICV-LCS std, 50ppm	WP73043
COD CCV std, 50ppm	WP73044

Temp In (C): 150	Date In: 03/27/2019	Time In: 11:00
Temp Out (C): 150	Date Out: 03/27/2019	Time Out: 13:02

Intercept: -0.1952

Slope: 1.0031

Regression: 0.9999

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	03/21/2019	12:40
2	CAL2	10	1	Water	10.000	03/21/2019	12:40
3	CAL3	50	1	Water	49.000	03/21/2019	12:41
4	CAL4	100	1	Water	101.000	03/21/2019	12:41
5	CAL5	150	1	Water	150.000	03/21/2019	12:42



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB101666

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	50.000	50.040	03/21/2019	12:42
2	ICB				1	Water	0.000	0.195	03/21/2019	12:43
3	CCV1	50			1	Water	51.000	51.037	03/27/2019	14:10
4	CCB1				1	Water	0.000	0.195	03/27/2019	14:10
5	LB101666BL				1	Water	0.000	0.195	03/27/2019	14:11
6	LB101666BS	50			1	Water	49.000	49.043	03/27/2019	14:11
7	K2019-02				1	Water	2.000	2.188	03/27/2019	14:12
8	K2019-03				1	Water	0.000	0.195	03/27/2019	14:12
9	K2041-01				1	Water	6.000	6.176	03/27/2019	14:13
10	K2041-02				1	Water	0.000	0.195	03/27/2019	14:13
11	K2041-02DUP				1	Water	0.000	0.195	03/27/2019	14:14
12	K2041-02MS	50			1	Water	50.000	50.040	03/27/2019	14:14
13	K2041-02MSD	50			1	Water	51.000	51.037	03/27/2019	14:15
14	CCV2	50			1	Water	51.000	51.037	03/27/2019	14:15
15	CCB2				1	Water	0.000	0.195	03/27/2019	14:16

WORKLIST(Hardcopy Internal Chain)

LB/D1666

WorkList Name : COD032219

WorkList ID : 123814

Date : 03-22-2019 11:15:45

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/02/2019	Water	K2019-02	COD	Conc H2SO4 tc	SHAW22	F31	OUTFALL001-190312	03/12/2019	SM5220 D
04/02/2019	Water	K2019-03	COD	Conc H2SO4 tc	SHAW22	F31	OUTFALL001-190319	03/19/2019	SM5220 D
04/02/2019	Water	K2041-01	COD	Conc H2SO4 tc	KWAR01	--Select--	STORM-DRAIN-1	03/20/2019	SM5220 D
04/02/2019	Water	K2041-02	COD	Conc H2SO4 tc	KWAR01	--Select--	STORM-DRAIN-2	03/20/2019	SM5220 D

Date/Time 03/27/19 16:30
 Received by: IB
 Relinquished by: cf

Date/Time 03/22/19 12:20
 Received by: cf
 Relinquished by: IB