



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 3/29/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:10
In Date: 03/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:41
Out Date: 03/29/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101692

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2148-01	BF5F4	1	1.15	9.73	7.68	76.1
K2148-02	BF5F4MS	2	1.15	9.73	7.68	76.1
K2148-03	BF5F4MSD	3	1.15	9.73	7.68	76.1
K2148-04	BF5F5	4	1.14	9.71	7.77	77.4
K2148-05	BF5F6	5	1.18	9.62	7.41	73.8
K2148-06	BF5G3	6	1.19	9.78	7.62	74.9
K2148-07	BF5G4	7	1.17	9.97	7.84	75.8
K2148-08	BF5G5	8	1.15	9.62	8.07	81.7
K2148-09	BF5G8	9	1.16	9.98	9.59	95.6
K2148-10	BF5F7	10	1.15	9.77	7.54	74.1
K2148-11	BF5F8	11	1.12	9.7	7.72	76.9
K2148-12	BF5F9	12	1.14	9.97	8.27	80.7
K2148-13	BF5G0	13	1.1	9.81	7.7	75.8
K2148-14	BF5G1	14	1.15	9.96	8.12	79.1
K2148-15	BF5G9	15	1.13	9.74	9.23	94.1
K2148-16	BF5J1	16	1.16	9.83	9.36	94.6
K2148-17	BF5J3	17	1.17	9.67	7.81	78.1
K2148-18	BF5G2	18	1.16	9.87	7.39	71.5
K2148-19	BF5G6	19	1.16	9.9	8.58	84.9
K2148-20	BF5H0	20	1.17	9.61	8.12	82.3
K2148-21	BF5H1	21	1.17	9.94	8.35	81.9
K2148-22	BF5H2	22	1.15	9.98	8.29	80.9

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$