

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB101705

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP71781
IODINE SOLUTION .025N 1L	W2410
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (mL)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB118380BL		1	50	50	2.00	0.00	1.82	1.82	0.18	0.00	0.00	03/28/2019	13:52
2	K2124-02		1	50	50	2.00	1.82	3.24	1.42	0.58	0.40	3.20	03/28/2019	13:55
3	K2124-02DUP		1	50	50	2.00	3.24	4.68	1.44	0.56	0.38	3.04	03/28/2019	13:58
4	K2124-05		1	50	50	2.00	4.68	5.98	1.30	0.70	0.52	4.16	03/28/2019	14:02

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume