



PERCENT SOLID

Supervisor: MMDadoda

Analyst: JIGNESH

Date: 3/31/2019

OVENTEMP IN Celsius(°C): 108

Time IN: 16:00

In Date: 03/29/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:00

Out Date: 03/30/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-1

Thermometer ID: %SOLIDS-OVEN

QC:LB101751

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2161-01	MH0ZB8	1	1.00	2.00	2.00	100.0
K2161-02	MH0ZB9	2	1.00	2.00	2.00	100.0
K2161-03	MH0ZC0	3	1.00	2.00	2.00	100.0
K2161-04	MH0ZC1	4	1.00	2.00	2.00	100.0
K2161-05	MH0ZC3	5	1.00	2.00	2.00	100.0
K2161-06	MH0ZC4	6	1.00	2.00	2.00	100.0
K2161-07	MH0ZC5	7	1.00	2.00	2.00	100.0
K2161-08	MH0ZC5D	8	1.00	2.00	2.00	100.0
K2161-09	MH0ZC5S	9	1.00	2.00	2.00	100.0
K2161-10	MH0ZC6	10	1.00	2.00	2.00	100.0
K2161-11	MH0ZC7	11	1.00	2.00	2.00	100.0
K2161-12	MH0ZC8	12	1.00	2.00	2.00	100.0
K2161-13	MH0ZC9	13	1.00	2.00	2.00	100.0
K2161-14	MH0ZD0	14	1.00	2.00	2.00	100.0
K2161-15	MH0ZD1	15	1.00	2.00	2.00	100.0
K2161-16	MH0ZD3	16	1.00	2.00	2.00	100.0
K2161-17	MH0ZD4	17	1.00	2.00	2.00	100.0
K2161-18	MH0ZD5	18	1.00	2.00	2.00	100.0
K2161-19	MH0ZD6	19	1.00	2.00	2.00	100.0
K2161-20	MH0ZD7	20	1.00	2.00	2.00	100.0
K2161-21	MH0ZD8	21	1.00	2.00	2.00	100.0
K2161-22	MH0ZD9	22	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$