

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	slope	offset
LB101778BLW	100	01/04/2019 12:21	0.00	3.77	3.76	104.4	6.98
LB101778BSW	100	01/04/2019 12:30	44.64	4.31	8.43	104.4	6.98
K2115-01	50	01/04/2019 12:35	461.92	4.32	6.16	104.4	6.98
K2115-02	50	01/04/2019 12:41	1607.76	4.32	7.24	104.4	6.98
K2115-03	50	01/04/2019 12:54	1630.24	4.45	6.96	104.4	6.98
K2115-06	50	01/04/2019 13:06	648.80	4.43	7.03	104.4	6.98
K2115-07	50	01/04/2019 13:13	1093.76	4.43	7.84	104.4	6.98
K2176-01	50	01/04/2019 13:23	1323.20	4.15	7.54	104.4	6.98
K2176-02	50	01/04/2019 14:28	536.40	4.40	7.56	104.4	6.98
K2176-03	50	01/04/2019 14:38	537.52	4.42	8.28	104.4	6.98
K2176-03DUP	50	01/04/2019 14:46	556.00	4.38	8.28	104.4	6.98

04/01/19 IB