



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/4/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:50
In Date: 04/03/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 04/04/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101841

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2254-01	BFC22	1	1.17	9.71	8.57	86.7
K2254-02	BFC23	2	1.18	9.51	7.95	81.3
K2254-03	BFC24	3	1.13	9.76	7.27	71.1
K2254-04	BFC25	4	1.13	9.58	8.42	86.3
K2254-05	BFC26	5	1.18	9.92	8.64	85.4
K2254-06	BFC27	6	1.17	9.89	8.4	82.9
K2254-07	BFC28	7	1.17	9.97	8.96	88.5
K2254-08	BFC29	8	1.18	9.96	8.63	84.9
K2254-09	BFC30	9	1.17	9.98	7.44	71.2
K2254-10	BFC66	10	1.13	9.94	8.49	83.5
K2254-11	BFC31	11	1.17	9.74	8.89	90.1
K2254-12	BFC32	12	1.14	9.57	8.25	84.3
K2254-13	BFC33	13	1.16	9.9	8.28	81.5
K2254-14	BFC37	14	1.14	9.97	8.56	84.0
K2254-15	BFC38	15	1.17	9.6	8.06	81.7
K2254-16	BFC38MS	16	1.17	9.6	8.06	81.7
K2254-17	BFC38MSD	17	1.17	9.6	8.06	81.7
K2254-18	BFC39	18	1.17	9.94	7.18	68.5
K2254-19	BFC40	19	1.15	9.62	8.42	85.8
K2254-20	BFC41	20	1.12	9.54	8.84	91.7
K2254-21	BFC42	21	1.14	9.87	7.57	73.7
K2254-22	BFC68	22	1.14	9.97	9.16	90.8
K2254-23	VHBLK01	23	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$