



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/8/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:00
In Date: 04/05/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:25
Out Date: 04/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101902

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2259-01	ETJ40	1	1.12	9.59	7.3	73.0
K2259-02	ETJ41	2	1.14	9.88	5.67	51.8
K2259-03	ETJ42	3	1.18	9.7	7.34	72.3
K2259-04	ETJ43	4	1.11	9.82	5.85	54.4
K2259-05	ETJ44	5	1.14	9.58	7.74	78.2
K2259-06	ETJ44MS	6	1.14	9.58	7.74	78.2
K2259-07	ETJ44MSD	7	1.14	9.58	7.74	78.2
K2259-08	ETJ45	8	1.15	9.71	6.18	58.8
K2259-09	VHBLK01	9	1.00	2.00	2.00	100.0
K2259-10	ETJ30	10	1.18	9.76	7.36	72.0
K2259-11	ETJ31	11	1.18	9.82	6.66	63.4
K2259-12	ETJ32	12	1.15	9.57	8.91	92.2
K2259-13	ETJ33	13	1.16	9.97	8.29	80.9
K2259-14	ETJ34	14	1.17	9.95	9.14	90.8
K2259-15	ETJ35	15	1.16	9.88	8.71	86.6
K2259-16	ETJ46	16	1.13	9.62	8.48	86.6
K2259-17	ETJ47	17	1.18	9.98	8.78	86.4
K2259-18	ETJ48	18	1.11	9.79	8.62	86.5
K2259-19	ETJ36	19	1.15	9.79	9.24	93.6
K2259-20	ETJ37	20	1.16	9.83	8.38	83.3
K2259-21	ETJ38	21	1.17	9.94	7.37	70.7
K2259-22	ETJ39	22	1.18	9.94	6.73	63.4
K2259-23	ETJ49	23	1.14	9.84	8.3	82.3

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$