CHEMTECH

Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: TPH
Run Number: LB101995
Analysis Date: 04/10/2019
BalanceID: WC SC-3
OvenID: EXT OVEN-3

ANALYST: JIGNESH
REVIEWED BY: apatel
Extraction Date: 04/10/2019
Extration IN Time: 08:10
Extration OUT Time: 08:40

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight(g)	Silica Gel Weight(g)	Weight After Drying(g)	Final Weight After Drying(g)	Change Weight (g)	Result in ppm
1	LB101995BL	LB101995BL	WATER	1.3	1000	100	2.4036	2.4036	3.02	2.4036	2.4036	0.0000	0
2	LB101995BS	LB101995BS	WATER	1.3	1000	100	2.8477	2.8477	3.01	2.8667	2.8667	0.0190	19
3	LB101995BSD	LB101995BSD	WATER	1.3	1000	100	2.4169	2.4169	3.03	2.4361	2.4361	0.0192	19.2
4	K2335-01	SV30755L	WATER	1.6	1000	100	3.1813	3.1813	3.03	3.1827	3.1827	0.0014	1.4
5	K2342-17	TP-12	WATER	1.6	970	100	3.0417	3.0417	3.04	3.0431	3.0431	0.0014	1.44

CHEMTECH

QC Batch# LB101995 **Test:** TPH **Analysis Date:** 04/10/2019

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2509
pH Paper 0-14	M4042
Sodium Sulfate	EP1944
1:1 HCL	WP69312
Silica Gel	W2466
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP71442
LCSWD	10.00 ML	WP71443
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance: 0.0018 **In OVEN TEMP :** 71 **Dessicator Time In :** 10:16

1.0000 gram Balance: 1.0003 **In Time:** 09:15

Bal Check Time: 08:30 **Out OVEN TEMP:** 71 **Dessicator Time Out:** 10:45

Out Time: 10:15

After Analysis

0.0020 gram Balance: 0.0021 **In OVEN TEMP :** 70 **Dessicator Time In :** 11:51

1.0000 gram Balance: 1.0005 **In Time:** 11:15

Bal Check Time: 12:50 **Out OVEN TEMP:** 70 **Dessicator Time Out:** 12:20

Out Time: 11:50

LB 101995

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TPH K2335 WorkList ID : 124608 Date : 04-10-2019 07:59:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/15/2019	Water	K2335-01 - K	TPH	Conc H2SO4 tc	PSEG01	K31	SV30755L	04/09/2019	1664A
04/15/2019	Water	K2342-17 - L	TPH	Conc H2SO4 tc	PSEG01	K31	TP-12	04/08/2019	1664A

Date/Time 04-10-19 8:00
Received by: JD
Relinquished by: CC

Date/Time 04-10-19 9.30
Received by: [signature]
Relinquished by: JD