



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/11/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:10
In Date: 04/10/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 07:30
Out Date: 04/11/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB101997

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2328-01	DB702	1	1.13	9.92	8.22	80.7
K2328-02	DB703	2	1.13	9.97	8.3	81.1
K2328-03	DB704	3	1.15	9.59	7.81	78.9
K2328-04	VHBLK01	4	1.00	2.00	2.00	100.0
K2328-05	DB717	5	1.16	9.81	8.43	84.0
K2328-06	DB718	6	1.15	9.66	7.69	76.9
K2328-07	DB719	7	1.14	9.97	8.56	84.0
K2328-08	DB720	8	1.13	9.88	9.48	95.4
K2328-09	DB724	9	1.14	9.96	8.56	84.1
K2328-10	DB725	10	1.14	9.95	8.3	81.3
K2328-11	DB726	11	1.14	9.99	8.37	81.7
K2328-12	DB727	12	1.15	9.93	8.63	85.2
K2328-13	DB711	13	1.15	9.66	8.05	81.1
K2328-14	DB712	14	1.16	9.87	8.39	83.0
K2328-15	DB730	15	1.16	9.92	8.4	82.6
K2328-16	DB731	16	1.16	9.74	7.97	79.4
K2328-17	DB732	17	1.14	9.96	8.29	81.1
K2328-18	DB733	18	1.15	9.68	8.46	85.7
K2328-19	DB733MS	19	1.15	9.68	8.46	85.7
K2328-20	DB733MSD	20	1.15	9.68	8.46	85.7
K2328-21	DB739	21	1.14	9.72	8.19	82.2
K2328-22	DB740	22	1.15	9.8	7.74	76.2
K2328-23	DB741	23	1.13	9.58	7.95	80.7

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$