

Clear table


IC-1 200/200 300.0
4-11-19 AD

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-01_	4/1/19 14:45		AK/AP
STD2	0.2420	0.3950	0.4210	1.3160	0.3330	0.0850	2.1600	2019-04-01_	4/1/19 15:15		AK/AP
STD3	0.3550	0.6640	0.6770	2.2100	0.5480	0.9520	3.4050	2019-04-01_	4/1/19 15:45		AK/AP
STD4	0.8590	1.2040	1.1760	3.9160	0.9840	2.3120	5.8890	2019-04-01_	4/1/19 16:15		AK/AP
STD5	1.9900	2.8380	2.8140	9.5260	2.3750	5.4170	13.8990	2019-04-01_	4/1/19 16:45		AK/AP
STD6	3.8370	5.8000	5.8100	19.4800	4.8710	9.8430	29.1880	2019-04-01_	4/1/19 17:15		AK/AP
STD7	5.1180	7.6990	7.7020	25.5520	6.3890	12.3910	38.4580	2019-04-01_	4/1/19 17:45		AK/AP
ICV	2.0420	2.9360	2.8500	9.6510	2.3950	5.2980	14.0050	2019-04-01_	4/1/19 18:15		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-01_	4/1/19 18:44		AK/AP
CCV	2.0050	2.9670	2.9350	9.9740	2.4210	5.0700	14.2170	2019-04-03_	4/3/19 8:09		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-03_	4/3/19 8:45		AK/AP
LB102028BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-03_	4/3/19 9:15		AK/AP
LB102028BSW	2.0730	2.7850	2.7550	9.2980	2.3170	5.2650	13.5870	2019-04-03_	4/3/19 9:45		AK/AP
K2241-07RE	0.2690	0.4190	0.4190	1.3650	0.3390	0.2320	2.2360	2019-04-03_	4/3/19 11:06		AK/AP
K2241-08	0.4380	0.7120	0.6950	2.2540	0.5990	1.0450	3.4930	2019-04-03_	4/3/19 11:36		AK/AP
CCV	2.0010	2.8960	2.8620	9.8530	2.4570	5.2680	14.3280	2019-04-03_	4/3/19 12:05		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-03_	4/3/19 12:41		AK/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 0.850073 \cdot A + 2.38966$
 RSD: 5.300 %
 Correlation coefficient: 0.998812

IC-1 Cal 04-01-19
 AK




K3 = 0 K2 = 0 K1 = 0.850073 K0 = 2.38966

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.08978	2.891	0.2	20	5.857		Yes
3	0.184	5.533	0.4	20	5.857		Yes
4	0.4367	17.4	0.8	20	5.857		Yes
5	1.178	44	2	20	5.857		Yes
6	2.443	87.45	4	20	5.857		Yes
7	3.28	117.6	5	20	5.857		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 1.23227 \cdot A + 2.65078$
 RSD: 5.559 %
 Correlation coefficient: 0.998693



K3 = 0 K2 = 0 K1 = 1.23227 K0 = 2.65078

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2383	4.254	0.3	20	8.619		Yes
3	0.4724	8.624	0.6	20	8.619		Yes
4	0.9485	17.39	1.2	20	8.619		Yes
5	2.509	43.91	3	20	8.619		Yes
6	5.288	91.99	6	20	8.619		Yes
7	6.932	122.8	7.5	20	8.619		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 0.520136 \cdot A + 3.53388$
 RSD: 5.870 %
 Correlation coefficient: 0.998543




K3 = 0 K2 = 0 K1 = 0.520136 K0 = 3.53388
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4408	9.392	0.3	20	10.26		Yes
3	0.9167	19.24	0.6	20	10.26		Yes
4	1.89	38.44	1.2	20	10.26		Yes
5	5.111	101.4	3	20	10.26		Yes
6	10.84	216.6	6	20	10.26		Yes
7	14.16	289.3	7.5	20	10.26		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 2.84019 \cdot A + 11.3194$
 RSD: 4.718 %
 Correlation coefficient: 0.999059



K3 = 0 K2 = 0 K1 = 2.84019 K0 = 11.3194

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2429	5.284	1	20	13.02		Yes
3	0.5046	11.58	2	20	13.02		Yes
4	1.037	23.59	4	20	13.02		Yes
5	2.685	63.1	10	20	13.02		Yes
6	5.287	133.2	20	20	13.02		Yes
7	6.658	175.9	25	20	13.02		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 0.495818 \cdot A + 2.56709$
 RSD: 4.784 %
 Correlation coefficient: 0.999032



K3 = 0 K2 = 0 K1 = 0.495818 K0 = 2.56709

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3145	8.269	0.25	20	14.78	Yes	
3	0.655	16.93	0.5	20	14.78	Yes	
4	1.351	34.51	1	20	14.78	Yes	
5	3.641	90.61	2.5	20	14.78	Yes	
6	7.792	191.3	5	20	14.78	Yes	
7	10.3	252.5	6.25	20	14.78	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 1.0202 \cdot A - 15.37$
 RSD: 6.723 %
 Correlation coefficient: 0.998088




K3 = 0 K2 = 0 K1 = 1.0202 K0 = -15.37
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3569	16.74	0.5	20	20.93	Yes	
3	0.7374	33.73	1	20	20.93	Yes	
4	1.368	60.39	2	20	20.93	Yes	
5	2.919	121.3	5	20	20.93	Yes	
6	5.342	208	10	20	20.93	Yes	
7	6.878	258	12.5	20	20.93	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 04-01-19.mtw
 Equation: $Q = 1.53248 \cdot A + 17.8278$
 RSD: 5.947 %
 Correlation coefficient: 0.998504



K3 = 0 K2 = 0 K1 = 1.53248 K0 = 17.8278

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4754	16.56	1.5	20	24.2		Yes
3	0.9404	32.81	3	20	24.2		Yes
4	1.907	65.23	6	20	24.2		Yes
5	5.151	169.8	15	20	24.2		Yes
6	11.08	369.3	30	20	24.2		Yes
7	14.73	490.3	37.5	20	24.2		Yes

Report date: 4/2/2019 12:30:16 PM
Printed by: wet


Ident: STD1
Analysis from: 4/1/2019 2:45:15 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66206

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:30:28 PM
 Printed by: wet


Ident: STD2
 Analysis from: 4/1/2019 3:15:34 PM
 File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
 Run operator: wet
 Analysis number: 66207

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
 : AK/AP
 Vial number: 3
 Volume: 20.0 μ L
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.473	0.09	4.12	2.891	4.56	0.
2	8.58	0.270	0.24	11.03	4.254	6.71	0.
3	10.24	0.306	0.44	20.42	9.392	14.82	0.
4	13.03	0.344	0.24	11.23	5.284	8.34	0.
5	14.85	0.401	0.31	14.55	8.269	13.05	0.
6	20.68	0.633	0.36	16.50	16.736	26.40	0.
7	23.62	0.531	0.47	21.99	16.556	26.12	0.
7	27.00	0.422	2.16	99.84	63.382	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 4/2/2019 12:30:45 PM
Printed by: wet


Ident: STD3
Analysis from: 4/1/2019 3:45:29 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66208

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.476	0.18	4.16	5.533	4.31	0.
2	8.62	0.272	0.47	10.70	8.624	6.71	0.
3	10.30	0.310	0.92	20.77	19.242	14.98	0.
4	13.13	0.359	0.50	11.43	11.578	9.01	0.
5	14.99	0.394	0.65	14.84	16.932	13.18	0.
6	20.79	0.617	0.74	16.71	33.725	26.26	0.
7	23.75	0.536	0.94	21.32	32.807	25.54	0.
7	27.00	0.423	4.41	99.94	128.441	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:30:56 PM
Printed by: wet


Ident: STD4
Analysis from: 4/1/2019 4:15:24 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66209

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.493	0.44	4.88	17.396	6.77	0.
2	8.58	0.278	0.95	10.61	17.390	6.77	0.
3	10.22	0.302	1.89	21.14	38.441	14.96	0.
4	12.96	0.355	1.04	11.60	23.589	9.18	0.
5	14.73	0.388	1.35	15.11	34.508	13.43	0.
6	20.60	0.597	1.37	15.30	60.391	23.50	0.
7	23.63	0.526	1.91	21.33	65.227	25.39	0.
7	27.00	0.420	8.93	99.96	256.941	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:31:17 PM
Printed by: wet


Ident: STD5
Analysis from: 4/1/2019 4:45:19 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66210

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.88	0.485	1.18	5.08	44.004	6.94	0.
2	8.59	0.263	2.51	10.82	43.909	6.92	0.
3	10.21	0.295	5.11	22.04	101.408	15.99	0.
4	12.96	0.366	2.69	11.58	63.097	9.95	0.
5	14.69	0.376	3.64	15.69	90.615	14.29	0.
6	20.70	0.569	2.92	12.59	121.268	19.13	0.
7	23.70	0.505	5.15	22.21	169.764	26.77	0.
7	27.00	0.409	23.19	99.99	634.063	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:31:26 PM
Printed by: wet


Ident: STD6
Analysis from: 4/1/2019 5:15:14 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66211

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.84	0.474	2.44	5.08	87.454	6.74	0.
2	8.55	0.260	5.29	11.00	91.992	7.09	0.
3	10.16	0.295	10.84	22.55	216.608	16.69	0.
4	12.97	0.396	5.29	11.00	133.186	10.26	0.
5	14.67	0.370	7.79	16.21	191.309	14.74	0.
6	20.61	0.537	5.34	11.11	208.030	16.03	0.
7	23.67	0.509	11.08	23.05	369.299	28.45	0.
7	27.00	0.406	48.07	99.99	1297.878	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:31:34 PM
 Printed by: wet


Ident: STD7
 Analysis from: 4/1/2019 5:45:09 PM
 File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
 Run operator: wet
 Analysis number: 66212

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
 : AK/AP
 Vial number: 8
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.476	3.28	5.21	117.596	6.89	0.
2	8.56	0.265	6.93	11.01	122.807	7.20	0.
3	10.20	0.304	14.16	22.50	289.341	16.96	0.
4	12.99	0.417	6.66	10.58	175.944	10.31	0.
5	14.69	0.369	10.30	16.36	252.532	14.80	0.
6	20.59	0.519	6.88	10.93	257.970	15.12	0.
7	23.63	0.508	14.73	23.41	490.270	28.73	0.
7	27.00	0.408	62.93	100.00	1706.460	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 4/2/2019 12:35:12 PM
Printed by: wet


Ident: ICV
Analysis from: 4/1/2019 6:15:04 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66213

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.497	1.19	5.09	45.243	7.08	0.
2	8.57	0.269	2.53	10.82	45.503	7.12	0.
3	10.20	0.296	5.16	22.06	102.789	16.09	0.
4	12.94	0.370	2.70	11.55	63.974	10.01	0.
5	14.68	0.374	3.68	15.76	91.426	14.31	0.
6	20.66	0.552	2.92	12.47	118.928	18.61	0.
7	23.71	0.504	5.20	22.25	171.142	26.78	0.
7	27.00	0.409	23.37	99.99	639.004	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/2/2019 12:35:24 PM
Printed by: wet


Ident: ICB
Analysis from: 4/1/2019 6:44:59 PM
File: _2019-04-01_

Last save: 4/2/2019 12:26:32 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66214

Last save: 4/1/2019 5:42:04 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

IC-1 300.0
water

Report date: 4/11/2019 12:19:51 PM
Printed by: wet

Ident: CCV
Analysis from: 4/3/2019 8:09:04 AM
File: _2019-04-03_


Last save: 4/4/2019 11:06:48 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66254

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.477	1.20	5.16	44.363	6.89	0.
2	8.55	0.275	2.52	10.87	46.004	7.15	0.
3	10.24	0.310	5.12	22.08	106.044	16.48	0.
4	13.12	0.375	2.74	11.80	66.246	10.29	0.
5	14.95	0.388	3.60	15.53	92.466	14.37	0.
6	20.57	0.550	2.86	12.34	114.465	17.79	0.
7	23.67	0.518	5.14	22.20	173.909	27.03	0.
7	27.00	0.413	23.17	99.98	643.498	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:19:59 PM
Printed by: wet

Ident: CCB
Analysis from: 4/3/2019 8:45:33 AM
File: _2019-04-03_


Last save: 4/4/2019 11:06:48 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66255

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:20:07 PM
Printed by: wet

Ident: LB102028BLW
Analysis from: 4/3/2019 9:15:28 AM
File: _2019-04-03_


Last save: 4/11/2019 12:19:42 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66256

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:20:25 PM
Printed by: wet

Ident: LB102028BSW
Analysis from: 4/3/2019 9:45:23 AM
File: _2019-04-03_


Last save: 4/11/2019 12:19:42 PM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66257

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.494	1.20	5.28	45.950	7.39	0.
2	8.60	0.265	2.44	10.74	43.058	6.92	0.
3	10.22	0.298	4.96	21.81	99.132	15.94	0.
4	12.97	0.363	2.64	11.61	61.492	9.89	0.
5	14.71	0.377	3.55	15.61	88.264	14.19	0.
6	20.66	0.548	2.95	12.98	118.290	19.02	0.
7	23.76	0.510	4.99	21.96	165.684	26.64	0.
7	27.00	0.408	22.73	99.98	621.869	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:20:46 PM
Printed by: wet

Ident: K2241-07RE
Analysis from: 4/3/2019 11:06:08 AM
File: _2019-04-03_


Last save: 4/4/2019 11:06:50 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66261

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.466	0.11	4.48	3.525	5.12	0.
2	8.49	0.276	0.25	10.69	4.650	6.76	0.
3	10.16	0.306	0.46	19.49	9.303	13.53	0.
4	12.95	0.342	0.26	11.06	5.627	8.18	0.
5	14.73	0.387	0.33	14.20	8.513	12.38	0.
6	20.62	0.615	0.43	18.48	19.622	28.53	0.
7	23.78	0.536	0.50	21.42	17.543	25.50	0.
7	27.00	0.418	2.35	99.84	68.783	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:21:44 PM
Printed by: wet

Ident: K2241-08
Analysis from: 4/3/2019 11:36:03 AM
File: _2019-04-03_


Last save: 4/4/2019 11:06:50 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66262

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.87	0.507	0.20	4.25	7.497	5.46	0.
2	8.62	0.268	0.52	10.83	9.407	6.86	0.
3	10.24	0.299	0.98	20.28	19.926	14.52	0.
4	12.99	0.345	0.54	11.25	11.885	8.66	0.
5	14.75	0.385	0.75	15.55	18.975	13.83	0.
6	20.77	0.588	0.81	16.85	35.555	25.92	0.
7	23.84	0.519	1.01	20.91	33.950	24.75	0.
7	27.00	0.416	4.81	99.91	137.194	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:21:53 PM
Printed by: wet

Ident: CCV
Analysis from: 4/3/2019 12:05:58 PM
File: _2019-04-03_


Last save: 4/4/2019 11:06:50 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66263

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.90	0.491	1.17	4.95	44.267	6.86	0.
2	8.60	0.262	2.57	10.86	44.845	6.95	0.
3	10.22	0.294	5.22	22.09	103.237	16.00	0.
4	12.97	0.373	2.74	11.59	65.398	10.13	0.
5	14.74	0.382	3.72	15.76	93.924	14.55	0.
6	20.74	0.542	2.98	12.63	118.343	18.34	0.
7	23.85	0.515	5.23	22.12	175.359	27.17	0.
7	27.00	0.408	23.62	99.99	645.373	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/11/2019 12:22:01 PM
Printed by: wet

Ident: CCB
Analysis from: 4/3/2019 12:41:40 PM
File: _2019-04-03_


Last save: 4/4/2019 11:06:50 AM

Method: ANIONS 04-01-19.mtw
Run operator: wet
Analysis number: 66264

Last save: 4/1/2019 6:11:58 PM

SAMPLE:

: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD