

Analysis Method: SM4500 S E
 Parameter: Sulfide
 Run Number: LB102071

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP71781
IODINE SOLUTION .025N 1L	W2479
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/L)	DF	Initial Volume (mL)	Final Volume (mL)	T1 (mL)	T2 Initial	T2 Final	T2 Diff. (mL)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	AnalDate	Anal Time
1	PB118872BL		1	50	50	5.00	0.00	4.84	4.84	0.16	0.00	0.00	04/12/2019	15:52
2	PB118872BS	25	1	50	50	5.00	0.00	2.32	2.32	2.68	2.52	20.16	04/12/2019	15:55
3	K2241-10		1	50	50	5.00	0.00	4.76	4.76	0.24	0.08	0.64	04/12/2019	15:58
4	K2241-11		1	50	50	5.00	0.00	4.50	4.50	0.50	0.34	2.72	04/12/2019	16:02

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume