



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Vanita

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB102197

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K2193-07	HR-05-041719-A	1	100.05	0.00	04/18/2019	09:45
2	K2193-07DUP	HR-05-041719-ADUP	1	100.07	0.00	04/18/2019	09:52
3	K2193-09	HR-05-041719-B	1	100.04	0.00	04/18/2019	09:59
4	K2193-11	HR-05-041719-C	1	100.03	0.00	04/18/2019	10:06
5	K2198-05	OK-03-041719	1	100.08	0.00	04/18/2019	10:13
6	K2347-01	BCOG01	1	100.09	0.00	04/18/2019	10:20
7	K2347-02	BCOG02	1	100.03	0.00	04/18/2019	10:27
8	K2347-03	BCOG03	1	100.04	0.00	04/18/2019	10:34
9	K2453-01	OILY-STONES	1	100.07	0.00	04/18/2019	10:41

WORKLIST(Hardcopy Internal Chain)

LB102197

WorkList Name : PF41819

WorkList ID : 124995

Date : 04-18-2019 09:21:52

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/17/2019	Solid	K2193-07	Paint Filter	Cool 4 deg C	PSEG05		HR-05-041719-A	04/17/2019	9095B
04/17/2019	Solid	K2193-09	Paint Filter	Cool 4 deg C	PSEG05		HR-05-041719-B	04/17/2019	9095B
04/17/2019	Solid	K2193-11	Paint Filter	Cool 4 deg C	PSEG05		HR-05-041719-C	04/17/2019	9095B
04/17/2019	Solid	K2198-05	Paint Filter	Cool 4 deg C	PSEG05		OK-03-041719	04/17/2019	9095B
04/09/2019	Solid	K2347-01	Paint Filter	Cool 4 deg C	ENVI77	F52	BCOG01	04/09/2019	9095B
04/09/2019	Solid	K2347-02	Paint Filter	Cool 4 deg C	ENVI77	F52	BCOG02	04/09/2019	9095B
04/09/2019	Solid	K2347-03	Paint Filter	Cool 4 deg C	ENVI77	F52	BCOG03	04/09/2019	9095B
04/17/2019	Solid	K2453-01	Paint Filter	Cool 4 deg C	PSEG01	K31	OILY-STONES	04/17/2019	9095B

Date/Time 04/18/19 09:30
 Received by: VR
 Relinquished by: CP

Date/Time 04/18/19 10:45
 Received by: CP
 Relinquished by: VR