



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB102294

Reviewed By: Vanita
Supervisor Review By: ketankumar
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K2532-03	TP-5	1	100.08	0.00	04/23/2019	12:14
2	K2532-07	TP-2	1	100.04	0.00	04/23/2019	12:21
3	K2532-11	TP-3	1	100.03	0.00	04/23/2019	12:28
4	K2532-15	TP-17	1	100.06	0.00	04/23/2019	12:35
5	K2532-19	TP-14	1	100.01	0.00	04/23/2019	12:42
6	K2532-23	TP-4	1	100.07	0.00	04/23/2019	12:49
7	K2204-03	TR-05-042219	1	100.05	0.00	04/23/2019	11:25
8	K2204-03DUP	TR-05-042219DUP	1	100.08	0.00	04/23/2019	11:32
9	K2518-02	MUDDY-BAGS	1	100.01	0.00	04/23/2019	11:39
10	K2518-05	MUDDY-SOIL	1	100.09	0.00	04/23/2019	11:47
11	K2522-07	SP-WOODBURY	1	100.04	0.00	04/23/2019	11:54
12	K2526-01	SOIL-ROLLOFFS	1	100.03	0.00	04/23/2019	12:02
13	K2529-01	P3P4042219	1	100.01	0.00	04/23/2019	12:07

WORKLIST(Hardcopy Internal Chain)

LB102294

WorkList Name : PF42319

WorkList ID : 125190

Date : 04-23-2019 09:09:40

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/22/2019	Solid	K2204-03	Paint Filter <i>U</i>	Cool 4 deg C	PSEG05		TR-05-042219	04/22/2019	9095B
04/22/2019	Solid	K2518-02	Paint Filter <i>E</i>	Cool 4 deg C	PSEG01	K11	MUDDY-BAGS	04/22/2019	9095B
04/22/2019	Solid	K2518-05	Paint Filter <i>D</i>	Cool 4 deg C	PSEG01	K11	MUDDY-SOIL	04/22/2019	9095B
04/22/2019	Solid	K2522-07	Paint Filter <i>E</i>	Cool 4 deg C	PSEG01	K12	SP-WOODBURY	04/22/2019	9095B
04/22/2019	Solid	K2526-01	Paint Filter <i>I</i>	Cool 4 deg C	PSEG01	K11	SOIL-ROLLOFFS	04/22/2019	9095B
04/22/2019	Solid	K2529-01	Paint Filter <i>U</i>	Cool 4 deg C	PSEG01	K11	P3P4042219	04/22/2019	9095B
04/22/2019	Solid	K2532-03	Paint Filter <i>D</i>	Cool 4 deg C	PSEG01	K11	TP-5	04/22/2019	9095B
04/22/2019	Solid	K2532-07	Paint Filter <i>D</i>	Cool 4 deg C	PSEG01	K11	TP-2	04/22/2019	9095B
04/22/2019	Solid	K2532-11	Paint Filter <i>P</i>	Cool 4 deg C	PSEG01	K11	TP-3	04/22/2019	9095B
04/22/2019	Solid	K2532-15	Paint Filter <i>A</i>	Cool 4 deg C	PSEG01	K11	TP-17	04/22/2019	9095B
04/22/2019	Solid	K2532-19	Paint Filter <i>D</i>	Cool 4 deg C	PSEG01	K11	TP-14	04/22/2019	9095B
04/22/2019	Solid	K2532-23	Paint Filter <i>A</i>	Cool 4 deg C	PSEG01	K11	TP-4	04/22/2019	9095B

Date/Time 04/23/19 11:10
 Received by: *VR*
 Relinquished by: *CP*

Date/Time 04/23/19 12:55
 Received by: *CP*
 Relinquished by: *VR*