

IC-1 9056A water

07 LOD/mol of 09600014

05-01-19 AK

Clear table


ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-15_	4/15/19 9:37		AK/AP
STD2	0.2290	0.4020	0.3840	1.2950	0.3210	0.2240	2.0220	2019-04-15_	4/15/19 10:07		AK/AP
STD3	0.3950	0.6620	0.6410	2.1300	0.5530	0.9770	3.2840	2019-04-15_	4/15/19 10:37		AK/AP
STD4	0.8160	1.1960	1.1990	3.9670	0.9890	2.2200	5.9320	2019-04-15_	4/15/19 11:07		AK/AP
STD5	1.9860	2.8350	2.8460	9.5210	2.3630	5.1230	14.1130	2019-04-15_	4/15/19 11:37		AK/AP
STD6	3.8810	5.8130	5.9110	19.6790	4.9110	10.2580	29.4100	2019-04-15_	4/15/19 12:06		AK/AP
STD7	5.0930	7.6920	7.6190	25.4080	6.3630	11.8160	38.2400	2019-04-15_	4/15/19 12:36		AK/AP
ICV	2.0070	2.8910	2.9120	9.6650	2.4130	5.1100	14.5630	2019-04-15_	4/15/19 13:18		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-15_	4/15/19 13:48		AK/AP
CCV	2.0840	2.9180	3.0130	9.7140	2.3870	4.8640	14.2460	2019-04-22_	4/22/19 13:36		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-22_	4/22/19 14:07		AK/AP
LB102459BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-22_	4/22/19 14:37		AK/AP
LB102459BSW	2.0280	2.8700	2.8740	9.5040	2.4070	5.0320	14.0790	2019-04-22_	4/22/19 15:07		AK/AP
k2241-07	0.1980	0.2740	0.2400	0.8770	0.2150	0.0310	1.3800	2019-04-22_	4/22/19 15:42		AK/AP
k2241-09RE	0.2240	0.3890	0.3800	1.3010	0.3120	0.3650	1.9790	2019-04-22_	4/22/19 16:41		AK/AP
CCV	2.1010	2.9810	2.9580	9.7550	2.3900	5.1210	14.2230	2019-04-22_	4/22/19 17:11		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-04-22_	4/22/19 17:41		AK/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 0.823481 \cdot A + 1.8073$
 RSD: 3.756 %
 Correlation coefficient: 0.999404

IC1 cal

04-15-19




K3 = 0 K2 = 0 K1 = 0.823481 K0 = 1.8073
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1014	3.366	0.2	20	5.857		Yes
3	0.2037	7.405	0.4	20	5.857		Yes
4	0.4518	17.63	0.8	20	5.857		Yes
5	1.181	46.04	2	20	5.857		Yes
6	2.411	92.06	4	20	5.857		Yes
7	3.155	121.5	5	20	5.857		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 1.22133 \cdot A + 2.30714$
 RSD: 5.439 %
 Correlation coefficient: 0.998749




K3 = 0 K2 = 0 K1 = 1.22133 K0 = 2.30714
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0		0	0	0		No
2	0.2516	4.691	0.3	20	8.619	Yes	
3	0.4828	8.959	0.6	20	8.619	Yes	
4	0.9698	17.7	1.2	20	8.619	Yes	
5	2.461	44.53	3	20	8.619	Yes	
6	5.234	93.3	6	20	8.619	Yes	
7	6.829	124.1	7.5	20	8.619	Yes	

CALIBRATION OF COMPONENT NO2

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 0.532257 \cdot A + 2.14384$
 RSD: 3.769 %
 Correlation coefficient: 0.999399



K3 = 0 K2 = 0 K1 = 0.532257 K0 = 2.14384

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear


Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4741	10.4	0.3	20	10.26		Yes
3	0.943	20.06	0.6	20	10.26		Yes
4	1.952	41.01	1.2	20	10.26		Yes
5	5.007	102.9	3	20	10.26		Yes
6	10.66	218.1	6	20	10.26		Yes
7	13.83	282.3	7.5	20	10.26		Yes

±0.25

CALIBRATION OF COMPONENT BR-

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 2.80614 \cdot A + 9.55252$
 RSD: 3.762 %
 Correlation coefficient: 0.999402




K3 = 0 K2 = 0 K1 = 2.80614 K0 = 9.55252

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2654	5.828	1	20	13.02		Yes
3	0.5231	11.78	2	20	13.02		Yes
4	1.079	24.87	4	20	13.02		Yes
5	2.688	64.45	10	20	13.02		Yes
6	5.323	136.8	20	20	13.02		Yes
7	6.624	177.7	25	20	13.02		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 0.493046 \cdot A + 2.0632$
 RSD: 4.214 %
 Correlation coefficient: 0.999249



K3 = 0 K2 = 0 K1 = 0.493046 K0 = 2.0632

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.3355	8.828	0.25	20	14.78	Yes	
3	0.6784	18.23	0.5	20	14.78	Yes	
4	1.402	35.95	1	20	14.78	Yes	
5	3.637	91.67	2.5	20	14.78	Yes	
6	7.853	195	5	20	14.78	Yes	
7	10.31	253.9	6.25	20	14.78	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 0.964004 \cdot A - 11.4186$
 RSD: 4.720 %
 Correlation coefficient: 0.999260



K3 = 0 K2 = 0 K1 = 0.964004 K0 = -11.4186

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.3738	18.03	0.5	20	20.93	Yes	
3	0.691	33.07	1	20	20.93	Yes	
4	1.273	57.87	2	20	20.93	Yes	
5	2.687	115.8	5	20	20.93	Yes	
6	5.043	218.3	10	20	20.93	Yes	
7	6.433	257	12.5	20	20.93	No	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 04-15-19.mtw
 Equation: $Q = 1.57585 \cdot A + 12.2881$
 RSD: 4.607 %
 Correlation coefficient: 0.999103



K3 = 0 K2 = 0 K1 = 1.57585 K0 = 12.2881

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4773	17.86	1.5	20	24.2		Yes
3	0.9123	33.88	3	20	24.2		Yes
4	1.854	67.48	6	20	24.2		Yes
5	4.781	171.3	15	20	24.2		Yes
6	10.37	365.5	30	20	24.2		Yes
7	13.6	477.5	37.5	20	24.2		Yes

Report date: 4/15/2019 2:38:21 PM
Printed by: wet


Ident: STD1
Analysis from: 4/15/2019 9:37:21 AM
File: _2019-04-15_

Last save: 4/15/2019 1:12:50 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66422

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:38:31 PM
Printed by: wet


Ident: STD2
Analysis from: 4/15/2019 10:07:16 AM
File: _2019-04-15_

Last save: 4/15/2019 1:12:50 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66423

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.496	0.10	4.38	3.366	4.88	0.
2	8.50	0.283	0.25	11.01	4.691	6.80	0.
3	10.14	0.321	0.47	20.78	10.405	15.08	0.
4	12.89	0.346	0.26	11.60	5.828	8.44	0.
5	14.65	0.403	0.33	14.68	8.828	12.79	0.
6	20.59	0.665	0.37	16.37	18.035	26.13	0.
7	23.60	0.580	0.48	20.92	17.862	25.88	0.
7	27.00	0.442	2.27	99.75	69.013	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:38:40 PM
Printed by: wet


Ident: STD3
Analysis from: 4/15/2019 10:37:11 AM
File: _2019-04-15_

Last save: 4/15/2019 1:12:52 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66424

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
:
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.510	0.20	4.58	7.405	5.55	0.
2	8.46	0.281	0.48	10.87	8.959	6.72	0.
3	10.07	0.316	0.94	21.26	20.063	15.04	0.
4	12.79	0.352	0.52	11.79	11.780	8.83	0.
5	14.53	0.412	0.68	15.29	18.233	13.67	0.
6	20.59	0.657	0.69	15.57	33.071	24.79	0.
7	23.62	0.576	0.91	20.57	33.879	25.40	0.
7	27.00	0.443	4.43	99.92	133.390	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:39:12 PM
Printed by: wet


Ident: STD4
Analysis from: 4/15/2019 11:07:06 AM
File: _2019-04-15_

Last save: 4/15/2019 1:12:52 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66425

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.510	0.45	5.03	17.630	6.72	0.
2	8.47	0.278	0.97	10.80	17.695	6.74	0.
3	10.08	0.315	1.95	21.73	41.014	15.62	0.
4	12.78	0.358	1.08	12.01	24.873	9.47	0.
5	14.50	0.390	1.40	15.61	35.953	13.70	0.
6	20.61	0.630	1.27	14.17	57.867	22.04	0.
7	23.65	0.567	1.85	20.64	67.483	25.71	0.
7	27.00	0.435	8.98	99.97	262.514	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:39:27 PM
Printed by: wet


Ident: STD5
Analysis from: 4/15/2019 11:37:01 AM
File: _2019-04-15_

Last save: 4/15/2019 1:12:52 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66426

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.515	1.18	5.26	46.038	7.23	0.
2	8.47	0.274	2.46	10.97	44.533	6.99	0.
3	10.06	0.309	5.01	22.31	102.917	16.16	0.
4	12.77	0.372	2.69	11.98	64.451	10.12	0.
5	14.45	0.382	3.64	16.21	91.672	14.40	0.
6	20.57	0.599	2.69	11.97	115.799	18.19	0.
7	23.63	0.555	4.78	21.30	171.323	26.91	0.
7	27.00	0.429	22.44	100.00	636.733	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:39:35 PM
Printed by: wet


Ident: STD6
Analysis from: 4/15/2019 12:06:56 PM
File: _2019-04-15_

Last save: 4/15/2019 1:12:52 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66427

Last save: 4/15/2019 11:33:56 AM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.508	2.41	5.14	92.061	6.98	0.
2	8.46	0.269	5.23	11.16	93.296	7.07	0.
3	10.05	0.307	10.66	22.73	218.075	16.53	0.
4	12.74	0.402	5.32	11.35	136.850	10.38	0.
5	14.40	0.375	7.85	16.75	195.019	14.79	0.
6	20.60	0.613	5.04	10.75	218.269	16.55	0.
7	23.70	0.544	10.37	22.11	365.459	27.71	0.
7	27.00	0.431	46.89	99.99	1319.028	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:39:47 PM
Printed by: wet


Ident: STD7
Analysis from: 4/15/2019 12:36:51 PM
File: _2019-04-15_

Last save: 4/15/2019 1:14:50 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66428

Last save: 4/15/2019 1:12:58 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.95	0.518	3.15	5.19	121.493	7.17	0.
2	8.67	0.275	6.83	11.24	124.079	7.32	0.
3	10.25	0.307	13.83	22.76	282.270	16.66	0.
4	12.96	0.422	6.62	10.90	177.682	10.49	0.
5	14.60	0.371	10.31	16.96	253.931	14.99	0.
6	20.75	0.562	6.43	10.58	256.979	15.17	0.
7	23.84	0.542	13.60	22.37	477.527	28.19	0.
7	27.00	0.428	60.77	100.00	1693.961	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:40:02 PM
Printed by: wet


Ident: ICV
Analysis from: 4/15/2019 1:18:04 PM
File: _2019-04-15_

Last save: 4/15/2019 1:44:54 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66429

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.511	1.21	5.22	46.557	7.15	0.
2	8.46	0.271	2.54	10.98	45.449	6.98	0.
3	10.06	0.306	5.17	22.37	105.399	16.18	0.
4	12.78	0.373	2.73	11.84	65.480	10.05	0.
5	14.46	0.379	3.75	16.22	93.712	14.38	0.
6	20.59	0.592	2.76	11.96	117.858	18.09	0.
7	23.70	0.554	4.94	21.41	177.034	27.17	0.
7	27.00	0.427	23.09	99.99	651.490	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 4/15/2019 2:40:10 PM
Printed by: wet


Ident: ICB
Analysis from: 4/15/2019 1:48:16 PM
File: _2019-04-15_

Last save: 4/15/2019 2:15:06 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66430

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
:
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

EC-1
9056 A water
07/09 RE

Report date: 5/1/2019 11:06:13 AM
Printed by: wet


Ident: CCV
Analysis from: 4/22/2019 1:36:07 PM
File: _2019-04-22_

Last save: 4/22/2019 2:02:56 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66569

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.594	1.09	6.08	48.430	7.48	0.
2	8.49	0.363	1.98	11.08	45.895	7.09	0.
3	10.16	0.421	4.03	22.57	109.193	16.86	0.
4	12.90	0.436	2.34	13.08	65.830	10.16	0.
5	14.64	0.533	2.71	15.14	92.654	14.30	0.
6	20.28	0.793	2.09	11.70	112.751	17.41	0.
7	23.27	0.755	3.63	20.32	173.002	26.71	0.
7	27.00	0.556	17.87	99.98	647.756	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:20 AM
Printed by: wet


Ident: CCB
Analysis from: 4/22/2019 2:07:23 PM
File: _2019-04-22_

Last save: 4/22/2019 2:34:12 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66570

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:28 AM
Printed by: wet


Ident: LB102459BLW
Analysis from: 4/22/2019 2:37:18 PM
File: _2019-04-22_

Last save: 5/1/2019 11:05:04 AM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66571

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:35 AM
Printed by: wet


Ident: LB102459BSW
Analysis from: 4/22/2019 3:07:13 PM
File: _2019-04-22_

Last save: 5/1/2019 11:05:04 AM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66572

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.591	1.08	5.79	47.061	7.34	0.
2	8.47	0.344	2.04	10.94	45.115	7.04	0.
3	10.08	0.394	4.10	22.00	103.967	16.22	0.
4	12.78	0.417	2.38	12.75	64.334	10.04	0.
5	14.49	0.506	2.85	15.27	93.454	14.58	0.
6	20.42	0.741	2.27	12.16	116.242	18.13	0.
7	23.47	0.678	3.93	21.09	170.887	26.66	0.
7	27.00	0.524	18.64	99.99	641.060	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:43 AM
Printed by: wet


Ident: k2241-07
Analysis from: 4/22/2019 3:42:07 PM
File: _2019-04-22_

Last save: 5/1/2019 9:51:22 AM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66573

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.626	0.06	5.64	2.618	6.76	0.
2	8.42	0.351	0.11	10.79	2.595	6.70	0.
3	10.07	0.411	0.18	17.42	5.001	12.92	0.
4	12.83	0.397	0.11	10.87	2.846	7.35	0.
5	14.61	0.500	0.14	13.58	4.552	11.76	0.
6	20.41	0.805	0.21	20.12	11.390	29.41	0.
7	23.38	0.680	0.22	21.12	9.722	25.11	0.
7	27.00	0.538	1.03	99.53	38.724	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:50 AM
Printed by: wet


Ident: k2241-09RE
Analysis from: 4/22/2019 4:41:57 PM
File: _2019-04-22_

Last save: 5/1/2019 11:05:22 AM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66575

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.547	0.09	4.74	3.256	4.71	0.
2	8.43	0.348	0.20	10.61	4.485	6.49	0.
3	10.08	0.406	0.38	20.03	10.233	14.82	0.
4	12.86	0.420	0.22	11.61	5.869	8.50	0.
5	14.63	0.500	0.26	13.84	8.485	12.29	0.
6	20.45	0.787	0.35	18.39	19.412	28.11	0.
7	23.49	0.687	0.39	20.58	17.324	25.08	0.
7	27.00	0.528	1.90	99.79	69.063	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/1/2019 11:06:57 AM
 Printed by: wet


Ident: CCV
 Analysis from: 4/22/2019 5:11:52 PM
 File: _2019-04-22_

Last save: 4/22/2019 5:38:42 PM

Method: ANIONS 04-15-19.mtw
 Run operator: wet
 Analysis number: 66576

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
 : AK/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.586	1.12	5.80	48.826	7.48	0.
2	8.52	0.348	2.10	10.88	46.933	7.19	0.
3	10.16	0.392	4.24	22.04	107.129	16.42	0.
4	12.85	0.412	2.47	12.84	66.120	10.13	0.
5	14.53	0.489	2.93	15.21	92.759	14.21	0.
6	20.50	0.732	2.32	12.04	118.085	18.10	0.
7	23.59	0.660	4.08	21.17	172.714	26.47	0.
7	27.00	0.517	19.25	99.99	652.566	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 5/1/2019 11:07:07 AM
Printed by: wet


Ident: CCB
Analysis from: 4/22/2019 5:41:47 PM
File: _2019-04-22_

Last save: 4/22/2019 6:08:36 PM

Method: ANIONS 04-15-19.mtw
Run operator: wet
Analysis number: 66577

Last save: 4/15/2019 1:14:52 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD