



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 5/20/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 05/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB102836

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2641-11	CL-03-051719	1	1.15	9.94	8.93	88.5
K2647-09	SU-01-051719	2	1.18	9.56	8.85	91.5
K2648-01	TR-05-051619	3	1.19	9.8	8.99	90.6
K2909-02	20190403-COMP-CH-72-73	4	1.15	9.56	4.67	41.9
K2909-03	20190404-COMP-CH-74	5	1.15	9.95	4.64	39.7
K2913-01	TP-17-S1	6	1.18	9.64	8.11	81.9
K2913-02	TP-17-S2	7	1.19	9.98	7.67	73.7
K2913-03	TP-17-S	8	1.15	9.65	7.77	77.9
K2914-01	T-3	9	1.17	9.97	8.17	79.5
K2914-02	T-4	10	1.19	9.66	8.31	84.1
K2914-03	T-5	11	1.16	9.96	8.55	84.0
K2915-01	B-3	12	1.17	9.75	8.43	84.6
K2915-02	B-4	13	1.1	9.98	8.55	83.9
K2915-03	B-5	14	1.19	9.75	8.2	81.9
K2918-05	SVOC-GPC-BLANK	15	1.14	9.94	2.00	9.8
K2918-06	PEST-GPC-BLANK	16	1.00	2.00	2.00	100.0
K2918-07	PEST-GPC-BLANK-SPIKE	17	1.00	2.00	2.00	100.0
K2918-08	PCB-GPC-BLANK	18	1.00	2.00	2.00	100.0
K2918-09	PCB-GPC-BLANK-SPIKE	19	1.00	2.00	2.00	100.0
K2918-10	SVOC-GPC2-BLANK	20	1.00	2.00	2.00	100.0
K2918-11	PEST-GPC2-BLANK	21	1.00	2.00	2.00	100.0
K2918-12	PEST-GPC2-BLANK-SPIKE	22	1.00	2.00	2.00	100.0
K2918-13	PCB-GPC2-BLANK	23	1.00	2.00	2.00	100.0
K2918-14	PCB-GPC2-BLANK -SPIKE	24	1.00	2.00	2.00	100.0
K2922-01	SOIL-COMP-1	25	1.15	9.57	6.7	65.9
K2922-02	SOIL-COMP-1-A	26	1.15	9.57	6.7	65.9
K2922-03	SOIL-COMP-1-B	27	1.15	9.57	6.7	65.9
K2922-04	SOIL-COMP-1	28	1.15	9.57	6.7	65.9
K2922-05	SOIL-COMP-2	29	1.19	9.86	6.64	62.9
K2922-06	SOIL-COMP-2-A	30	1.19	9.86	6.64	62.9
K2922-07	SOIL-COMP-2-B	31	1.19	9.86	6.64	62.9
K2922-08	SOIL-COMP-2	32	1.19	9.86	6.64	62.9
K2922-09	COAL-TAR-WRAP	33	1.00	2.00	2.00	100.0
K2943-01	GIS-4	34	1.17	9.72	8.57	86.5
K2943-02	GIS-4-4FT	35	1.15	9.96	8.77	86.5
K2943-03	GIS-4-6FT	36	1.16	9.91	8.66	85.7
K2943-04	GIS-4	37	1.17	9.72	8.57	86.5
K2943-05	GIS-5	38	1.18	9.93	8.83	87.4
K2943-06	GIS-5-4FT	39	1.15	9.95	9.1	90.3



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 5/20/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 05/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB102836

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2943-07	GIS-5-6FT	40	1.19	9.77	8.7	87.5
K2943-08	GIS-5	41	1.18	9.93	8.83	87.4
K2943-09	BUS-1	42	1.12	9.54	8.45	87.1
K2943-10	BUS-1-4	43	1.12	9.61	8.5	86.9
K2943-11	BUS-1-6	44	1.15	9.84	8.9	89.2
K2943-12	BUS-1	45	1.12	9.54	8.45	87.1
K2943-13	BUS-2	46	1.11	9.94	8.91	88.3
K2943-14	BUS-2-4FT	47	1.17	9.77	8.76	88.3
K2943-15	BUS-2-6-FT	48	1.16	9.69	8.74	88.9
K2943-16	BUS-2	49	1.11	9.94	8.91	88.3
K2943-17	DB-1	50	1.15	9.96	8.72	85.9
K2943-18	DB-1-4FT	51	1.19	9.98	8.75	86.0
K2943-19	DB-1-6FT	52	1.16	9.85	8.5	84.5
K2943-20	DB-1	53	1.15	9.96	8.72	85.9
K2944-01	FESB-1 (14.5-15)	54	1.19	9.64	7.63	76.2
K2944-02	FESB-2 (14.5-15)	55	1.18	9.98	8.48	83.0
K2944-03	FESB-3 (4.5-5)	56	1.14	9.92	8.71	86.2
K2944-04	FESB-4 (5-5.5)	57	1.15	9.94	8.67	85.6
K2944-05	FESB-5 (4.5-5)	58	1.11	9.64	8.07	81.6
K2944-06	FESB-6 (4.5-5)	59	1.15	9.91	8.16	80.0
K2946-01	D10210	60	1.00	2.00	2.00	100.0
K2946-02	D10212	61	1.15	9.75	9.16	93.1
K2946-03	D10215	62	1.19	9.79	8.01	79.3
K2946-04	D10217	63	1.17	9.85	7.07	68.0
K2946-05	K2946-04MS	64	1.17	9.85	7.07	68.0
K2946-06	K2946-04MSD	65	1.17	9.85	7.07	68.0
K2946-07	D10224	66	1.13	9.65	8.34	84.6
K2946-08	D10227	67	1.1	9.78	8.49	85.1
K2946-09	D10230	68	1.19	9.91	9.02	89.8
K2946-10	D10232	69	1.13	9.94	5.39	48.4
K2946-11	D10248	70	1.18	9.61	5.31	49.0
K2946-12	D10252	71	1.16	9.97	9.16	90.8
K2946-13	D10266	72	1.12	9.64	8.05	81.3
K2946-14	D10267	73	1.16	9.91	8.42	83.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$