



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 5/20/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 16:25
In Date: 05/19/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 05/20/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB102849

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K2937-01	MHA023	1	1.14	9.93	9.48	94.9
K2937-02	MHA024	2	1.18	9.97	9.74	97.4
K2937-03	MHA025	3	1.14	9.83	9.25	93.3
K2937-04	MHA026	4	1.1	9.66	9.18	94.4
K2937-05	MHA027	5	1.17	9.7	9.2	94.1
K2937-06	MHA028	6	1.14	9.98	9.78	97.7
K2937-07	MHA029	7	1.18	9.96	9.61	96.0
K2937-08	MHA030	8	1.18	9.83	9.44	95.5
K2937-09	MHA030D	9	1.18	9.83	9.44	95.5
K2937-10	MHA030S	10	1.18	9.83	9.44	95.5
K2937-11	MHA076	11	1.18	9.86	9.38	94.5
K2937-12	MHA077	12	1.13	9.86	9.06	90.8
K2937-13	MHA078	13	1.18	9.98	9.21	91.3
K2937-14	MHA079	14	1.18	9.93	9.56	95.8
K2937-15	MHA080	15	1.12	9.53	8.95	93.1
K2937-16	MHA081	16	1.11	9.69	9.29	95.3
K2937-17	MHA082	17	1.14	9.97	9.21	91.4
K2937-18	MHA083	18	1.19	9.97	9.68	96.7
K2937-19	MHA084	19	1.18	9.7	9.16	93.7
K2937-20	MHA085	20	1.1	9.76	9.22	93.8
K2937-21	MHA086	21	1.18	9.96	9.45	94.2
K2937-22	MHA087	22	1.17	9.97	9.68	96.7

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$