

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB102878

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP73671
IODINE SOLUTION .025N 1L	W2479
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB119895BL		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	05/20/2019	13:30
2	K2641-12		1	5.02	50	2.00	1.92	3.82	1.90	0.10	0.02	1.59	05/20/2019	13:32
3	K2641-12DUP		1	5.04	50	2.00	3.82	5.70	1.88	0.12	0.04	3.17	05/20/2019	13:35
4	K2647-10		1	5.05	50	2.00	0.00	1.80	1.80	0.20	0.12	9.50	05/20/2019	13:38
5	K2913-04		1	5.00	50	2.00	1.80	3.68	1.88	0.12	0.04	3.20	05/20/2019	13:42
6	K2922-04		1	5.02	50	2.00	3.68	5.38	1.70	0.30	0.22	17.53	05/20/2019	13:45
7	K2922-08		1	5.03	50	2.00	5.38	7.28	1.90	0.10	0.02	1.59	05/20/2019	13:48

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume