

08102883

WORKLIST(Hardcopy Internal Chain)

WorkList Name : CL051619-2

WorkList ID : 126165

Date : 05-16-2019 15:40:51

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/31/2019	Water	K2932-01	Chloride	Cool 4 deg C	WEST04	K51	MW4M-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-02	Chloride	Cool 4 deg C	WEST04	K51	MW6-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-03	Chloride	Cool 4 deg C	WEST04	K51	MW6-061-3	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-04	Chloride	Cool 4 deg C	WEST04	K51	MWP2-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-05	Chloride	Cool 4 deg C	WEST04	K51	MWP4-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-06	Chloride	Cool 4 deg C	WEST04	K51	MW8M-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2933-05	Chloride	Cool 4 deg C	WEST04	O41	I061-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-07	Chloride	Cool 4 deg C	WEST04	K51	MW8M-061-2	05/17/2019	SM4500-CL C
05/31/2019	Water	K2932-08	Chloride	Cool 4 deg C	WEST04	K51	MW8D-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2933-01	Chloride	Cool 4 deg C	WEST04	O41	I011-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2933-02	Chloride	Cool 4 deg C	WEST04	O41	I031-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2933-03	Chloride	Cool 4 deg C	WEST04	O41	I041-061-1	05/17/2019	SM4500-CL C
05/31/2019	Water	K2933-04	Chloride	Cool 4 deg C	WEST04	O41	I051-061-1	05/17/2019	SM4500-CL C

Date/Time 05/24/19 8:05
 Received by: AP
 Relinquished by: AP

Date/Time 05/21/19 8:35
 Received by: AP
 Relinquished by: AP