



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/3/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:00
In Date: 05/31/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:36
Out Date: 06/01/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103130

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3114-01	MH0AF7	1	1.14	9.86	9.00	90.1
K3114-02	MH0AF8	2	1.11	9.81	8.83	88.7
K3114-03	MH0AF9	3	1.14	9.86	9.11	91.4
K3114-04	MH0AG0	4	1.15	9.9	7.9	77.1
K3114-05	MH0AG1	5	1.14	9.97	9.31	92.5
K3114-06	MH0AG2	6	1.12	9.54	8.94	92.9
K3114-07	MH0AG3	7	1.11	9.72	9.22	94.2
K3114-08	MH0AG4	8	1.15	9.94	8.27	81.0
K3114-09	MH0AG5	9	1.18	9.73	8.29	83.2
K3114-10	MH0AG6	10	1.19	9.97	9.41	93.6
K3114-11	MH0AG7	11	1.16	9.56	9.25	96.3
K3114-12	MH0AG8	12	1.18	9.84	9.44	95.4
K3114-13	MH0AG9	13	1.19	9.88	9.46	95.2
K3114-14	MH0AH0	14	1.15	9.8	8.85	89.0
K3114-15	MH0AH1	15	1.18	9.55	8.98	93.2
K3114-16	MH0AH2	16	1.12	9.76	9.26	94.2
K3114-17	MH0AH3	17	1.17	9.57	8.89	91.9
K3114-18	MH0AH4	18	1.13	9.71	8.99	91.6
K3114-19	MH0AH5	19	1.14	9.94	8.52	83.9
K3114-20	MH0AH6	20	1.11	9.9	8.48	83.8
K3114-21	MH0AH6D	21	1.11	9.9	8.48	83.8
K3114-22	MH0AH6S	22	1.11	9.9	8.48	83.8

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$