



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/3/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:15
In Date: 05/31/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 06/01/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103143

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3118-01	MH0AN0	1	1.13	9.63	9.17	94.6
K3118-02	MH0AN1	2	1.14	9.5	8.99	93.9
K3118-03	MH0AN2	3	1.16	9.95	8.19	80.0
K3118-04	MH0AN3	4	1.13	9.73	8.62	87.1
K3118-05	MH0AN4	5	1.13	9.55	6.69	66.0
K3118-06	MH0AN5	6	1.13	9.98	8.49	83.2
K3118-07	MH0AN6	7	1.14	9.51	8.38	86.5
K3118-08	MH0AN7	8	1.13	9.69	9.07	92.8
K3118-09	MH0AN8	9	1.15	9.92	8.99	89.4
K3118-10	MH0AN9	10	1.11	9.92	8.55	84.4
K3118-11	MH0AO1	11	1.15	9.5	8.8	91.6
K3118-12	MH0AO3	12	1.17	9.62	9.44	97.9
K3118-13	MH0AO4	13	1.18	9.82	8.86	88.9
K3118-14	MH0AO5	14	1.18	9.73	9.37	95.8
K3118-15	MH0AO5D	15	1.18	9.73	9.37	95.8
K3118-16	MH0AO5S	16	1.18	9.73	9.37	95.8
K3118-17	MH0AO6	17	1.16	9.66	9.21	94.7
K3118-18	MH0AO7	18	1.17	9.88	9.41	94.6
K3118-19	MH0AO8	19	1.17	9.77	9.2	93.4
K3118-20	MH0AO9	20	1.12	9.8	9.08	91.7
K3118-21	MH0AP0	21	1.16	9.96	8.85	87.4
K3118-22	MH0AP1	22	1.15	9.82	9.24	93.3

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$