



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB103213

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3065-13	B-16-COMP	1	100.02	0.00	06/05/2019	15:18
2	K3065-13DUP	B-16-COMPDUP	1	100.03	0.00	06/05/2019	15:25
3	K3065-14	B-15-COMP	1	100.01	0.00	06/05/2019	15:32
4	K3065-15	B-14-COMP	1	100.05	0.00	06/05/2019	15:40

WORKLIST(Hardcopy Internal Chain)

LB 103213

WorkList Name : PF6519-1

WorkList ID : 127018

Date : 06-05-2019 15:09:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/21/2019	Solid	K3065-13	Paint Filter	Cool 4 deg C	LIRO01	P51	B-16-COMP	05/21/2019	9095B
05/22/2019	Solid	K3065-14	Paint Filter	Cool 4 deg C	LIRO01	P51	B-15-COMP	05/22/2019	9095B
05/23/2019	Solid	K3065-15	Paint Filter	Cool 4 deg C	LIRO01	P51	B-14-COMP	05/23/2019	9095B

Date/Time 06/05/19 15:10
 Received by: KS
 Relinquished by: CP

Date/Time 06/05/19 15:45
 Received by: KS
 Relinquished by: KS