



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/14/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 16:00
In Date: 06/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 06/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103233

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3208-01	MH0BD5	1	1.18	9.97	9.4	93.5
K3208-02	MH0BD6	2	1.14	9.79	9.06	91.6
K3208-03	MH0BD7	3	1.18	9.75	8.83	89.3
K3208-04	MH0BD8	4	1.15	9.67	9.11	93.4
K3208-05	MH0BD9	5	1.16	9.67	9.02	92.4
K3208-06	MH0BE0	6	1.19	9.64	8.9	91.2
K3208-07	MH0BE1	7	1.16	9.9	9.12	91.1
K3208-08	MH0BE2	8	1.12	9.52	8.91	92.7
K3208-09	MH0BE3	9	1.1	9.76	9.22	93.8
K3208-10	MH0BE4	10	1.16	9.57	8.7	89.7
K3208-11	MH0BE5	11	1.18	9.97	9.14	90.6
K3208-12	MH0BE6	12	1.18	9.55	8.79	90.9
K3208-13	MH0BE7	13	1.14	9.64	8.93	91.6
K3208-14	MH0BF5	14	1.18	9.59	8.94	92.3
K3208-15	MH0BF6	15	1.19	9.88	8.39	82.9
K3208-16	MH0AW8	16	1.1	9.82	8.64	86.5
K3208-17	MH0AX4	17	1.18	9.54	8.51	87.7
K3208-18	MH0AX5	18	1.13	9.69	8.1	81.4
K3208-19	MH0AX7	19	1.18	9.71	8.57	86.6
K3208-20	MH0AZ0	20	1.18	9.71	8.66	87.7
K3208-21	MH0AZ0D	21	1.18	9.71	8.66	87.7
K3208-22	MH0AZ0S	22	1.18	9.71	8.66	87.7

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$