



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/7/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:11
In Date: 06/06/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 06/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103245

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3123-01	MH0AV2	1	1.11	9.96	8.73	86.1
K3123-02	MH0AV3	2	1.13	9.69	8.2	82.6
K3123-03	MH0AV4	3	1.12	9.63	7.96	80.4
K3123-04	MH0AV4D	4	1.12	9.63	7.96	80.4
K3123-05	MH0AV4S	5	1.12	9.63	7.96	80.4
K3123-06	MH0AV5	6	1.13	9.66	8.53	86.8
K3123-07	MH0AV6	7	1.13	9.75	8.7	87.8
K3123-08	MH0AV7	8	1.14	9.7	8.33	84.0
K3123-09	MH0AV8	9	1.13	9.82	8.76	87.8
K3123-10	MH0AV9	10	1.12	9.54	8.74	90.5
K3123-11	MH0AW0	11	1.12	9.97	9.09	90.1
K3123-12	MH0AW1	12	1.12	9.94	9.39	93.8
K3123-13	MH0AW2	13	1.12	9.68	8.98	91.8
K3123-14	MH0AW3	14	1.12	9.95	9.47	94.6
K3123-15	MH0AW4	15	1.14	9.65	9.57	99.1
K3123-16	MH0AW5	16	1.14	9.72	9.23	94.3
K3123-17	MH0BF7	17	1.13	9.69	9.51	97.9
K3123-18	MH0AC2	18	1.14	9.88	8.69	86.4
K3123-19	MH0AW6	19	1.14	9.75	8.95	90.7
K3123-20	MH0AW7	20	1.15	9.57	8.37	85.7
K3123-21	MH0AW9	21	1.14	9.98	8.88	87.6
K3123-22	MH0AX0	22	1.15	9.52	7.6	77.1

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$