



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB103265

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3158-01	OK-03-060619	1	100.03	0.00	06/07/2019	09:28
2	K3158-01DUP	OK-03-060619DUP	1	100.01	0.00	06/07/2019	09:35
3	K3160-01	EO-02-060619-A	1	100.02	0.00	06/07/2019	09:42
4	K3160-03	EO-02-060619-B	1	100.07	0.00	06/07/2019	09:50
5	K3160-05	EO-02-060619-C	1	100.05	0.00	06/07/2019	10:02

WORKLIST(Hardcopy Internal Chain)

LB 103265

WorkList Name : PF6719

WorkList ID : 127124

Date : 06-07-2019 09:10:59

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/06/2019	Solid	K3158-01	Paint Filter	Cool 4 deg C	PSEG05	O31	OK-03-060619	06/06/2019	9095B
06/06/2019	Solid	K3160-01	Paint Filter	Cool 4 deg C	PSEG05	O31	EO-02-060619-A	06/06/2019	9095B
06/06/2019	Solid	K3160-03	Paint Filter	Cool 4 deg C	PSEG05	O31	EO-02-060619-B	06/06/2019	9095B
06/06/2019	Solid	K3160-05	Paint Filter	Cool 4 deg C	PSEG05	O31	EO-02-060619-C	06/06/2019	9095B

Date/Time 06/07/19 09:15
 Received by: KS
 Relinquished by: CP

Date/Time 06/07/19 10:10
 Received by: CP
 Relinquished by: KS