



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/10/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:00
In Date: 06/07/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:35
Out Date: 06/08/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103269

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3217-01	MH0AZ7	1	1.14	9.56	8.75	90.4
K3217-02	MH0AZ9	2	1.15	9.89	8.77	87.2
K3217-03	MH0BA2	3	1.15	9.59	8.17	83.2
K3217-04	MH0BA3	4	1.17	9.94	9.11	90.5
K3217-05	MH0BB5	5	1.14	9.8	9.11	92.0
K3217-06	MH0BC4	6	1.11	9.85	8.8	88.0
K3217-07	MH0BF3	7	1.18	9.69	8.79	89.4
K3217-08	MH0BP8	8	1.15	9.52	9.25	96.8
K3217-09	MH0BP9	9	1.18	9.82	9.22	93.1
K3217-10	MH0BQ0	10	1.18	9.84	9.31	93.9
K3217-11	MH0BQ1	11	1.18	9.57	9.21	95.7
K3217-12	MH0BQ2	12	1.18	9.63	7.44	74.1
K3217-13	MH0BQ3	13	1.16	9.75	7.42	72.9
K3217-14	MH0BQ4	14	1.17	9.87	8.96	89.5
K3217-15	MH0BQ5	15	1.12	9.53	7.6	77.1
K3217-16	MH0BQ6	16	1.14	9.66	9.14	93.9
K3217-17	MH0BQ7	17	1.19	9.91	9.24	92.3
K3217-18	MH0BQ8	18	1.13	9.71	8.75	88.8
K3217-19	MH0BQ9	19	1.14	9.7	8.94	91.1
K3217-20	MH0BR0	20	1.12	9.77	9.36	95.3
K3217-21	MH0BR0D	21	1.12	9.77	9.36	95.3
K3217-22	MH0BR0S	22	1.12	9.77	9.36	95.3

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$