



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/12/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:10
In Date: 06/11/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 06/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103338

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3159-01	OR-03-061119-A	1	1.14	9.64	8.71	89.1
K3159-03	OR-03-061119-B	2	1.16	9.79	9.04	91.3
K3281-01	CONCRETE-COMP	3	1.00	2.00	2.00	100.0
K3282-01	25082-2022	4	1.19	9.98	7.4	70.6
K3283-01	200030-200034	5	1.17	9.9	8.54	84.4
K3283-02	200030-200034	6	1.17	9.9	8.54	84.4
K3285-01	M-1-OW(0-10)	7	1.13	9.63	8.93	91.8
K3285-02	M-1-OW(0-10)	8	1.16	9.53	8.31	85.4
K3303-01	BAT-B03	9	1.17	9.65	9.02	92.6
K3303-02	BAT-B03	10	1.18	9.98	9.16	90.7
K3303-03	BAT-B02	11	1.16	9.97	8.9	87.9
K3303-04	BAT-B02	12	1.16	9.61	8.54	87.3
K3303-05	BAT-B02-GEO	13	1.12	9.81	8.68	87.0
K3303-06	BAT-B13	14	1.15	9.67	9.01	92.3
K3303-07	BAT-B13	15	1.14	9.96	9.34	93.0
K3303-08	BAT-B13-GEO	16	1.15	9.95	8.28	81.0
K3304-01	01-A-01-B-01-C	17	1.00	2.00	2.00	100.0
K3304-02	02-A-02-B-02-C	18	1.00	2.00	2.00	100.0
K3304-03	03-A-03-B-03-C	19	1.00	2.00	2.00	100.0
K3304-05	04-A-04-B-04-C	20	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$