



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB103351

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3159-01	OR-03-061119-A	1	100.03	0.00	06/12/2019	10:32
2	K3159-01DUP	OR-03-061119-ADUP	1	100.02	0.00	06/12/2019	10:40
3	K3159-03	OR-03-061119-B	1	100.01	0.00	06/12/2019	10:50

WORKLIST(Hardcopy Internal Chain)

LB 103357

WorkList Name : PF61219

WorkList ID : 127306

Date : 06-12-2019 09:20:07

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/11/2019	Solid	K3159-01	Paint Filter	Cool 4 deg C	PSEG05	O31	OR-03-061119-A	06/11/2019	9095B
06/11/2019	Solid	K3159-03	Paint Filter	Cool 4 deg C	PSEG05	O31	OR-03-061119-B	06/11/2019	9095B

Date/Time 06/12/19 10:20
 Received by: KS
 Relinquished by: CP

Date/Time 06/12/19 10:55
 Received by: CP
 Relinquished by: KS