



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/13/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:20
In Date: 06/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 06/13/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103357

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3316-01	BF3H8	1	1.13	9.62	8.48	86.6
K3316-02	BF3H9	2	1.17	9.71	8.59	86.9
K3316-03	BF3J0	3	1.18	9.96	8.63	84.9
K3316-04	BF3J1	4	1.14	9.97	8.52	83.6
K3316-05	BF3J2	5	1.14	9.65	8.25	83.5
K3316-06	BF3J5	6	1.13	9.82	8.41	83.8
K3316-07	BF3J6	7	1.12	9.98	8.39	82.1
K3316-08	BF3J7	8	1.13	9.89	8.29	81.7
K3316-09	BF3J8	9	1.13	9.95	8.56	84.2
K3316-10	BF3J9	10	1.14	9.86	8.08	79.6
K3316-11	BF3K2	11	1.1	9.86	8.37	83.0
K3316-12	BF3K3	12	1.14	9.63	7.96	80.3
K3316-13	BF3K4	13	1.13	9.97	8.14	79.3
K3316-14	BF3K4MS	14	1.13	9.97	8.14	79.3
K3316-15	BF3K4MSD	15	1.13	9.97	8.14	79.3
K3316-16	BF3K5	16	1.12	9.83	8.28	82.2
K3316-17	BF3M0	17	1.14	9.77	8.65	87.0
K3316-18	BF3M1	18	1.12	9.6	8.55	87.6
K3316-19	BF3M2	19	1.12	9.75	8.62	86.9
K3316-20	BF3M3	20	1.11	9.59	8.42	86.2

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$