



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/18/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 16:13
In Date: 06/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 07:33
Out Date: 06/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103451

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3391-01	MH0CD9	1	1.13	9.92	9.64	96.8
K3391-02	MH0CD9D	2	1.13	9.92	9.64	96.8
K3391-03	MH0CD9S	3	1.13	9.92	9.64	96.8
K3391-04	MH0CE5	4	1.14	9.94	9.62	96.4
K3391-05	MH0CE6	5	1.13	9.74	9.02	91.6
K3391-06	MH0CE7	6	1.14	9.78	8.93	90.2
K3391-07	MH0CE8	7	1.13	9.51	9.35	98.1
K3391-08	MH0CE9	8	1.13	9.77	9.08	92.0
K3391-09	MH0CF1	9	1.14	9.69	8.42	85.1
K3391-10	MH0CF2	10	1.18	9.76	9.14	92.8
K3391-11	MH0CF3	11	1.12	9.92	9.17	91.5
K3391-12	MH0CF4	12	1.15	9.85	9.09	91.3
K3391-13	MH0CF5	13	1.13	9.95	9.1	90.4
K3391-14	MH0CF6	14	1.12	9.75	9.22	93.9
K3391-15	MH0CF7	15	1.13	9.51	9.07	94.7
K3391-16	MH0CF8	16	1.12	9.68	9.24	94.9
K3391-17	MH0CF9	17	1.12	9.71	9.00	91.7
K3391-18	MH0CG0	18	1.12	9.96	9.6	95.9
K3391-19	MH0CG1	19	1.15	9.8	9.18	92.8
K3391-20	MH0CG3	20	1.14	9.61	9.31	96.5
K3391-21	MH0CG4	21	1.12	9.62	9.38	97.2
K3391-22	MH0CG5	22	1.13	9.7	9.43	96.8

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$